WATER AND CLIMATE RESILIENCE PROGRAMME

Mainstreaming Climate Change Adaptation into Development Planning



VULNERABILITY AND ADAPTATION ASSESSMENT FOR DATIA DISTRICT OF MADHYA PRADESH







Water and Climate Resilience Programme (WACREP)

Mainstreaming Climate Change Adaptation into Development Planning

VULNERABILITY AND ADAPTATION ASSESSMENT FOR DATIA DISTRICT OF MADHYA PRADESH







ACKNOWLEDGEMENT

This report is prepared under the financial support by **Global Water Partnership (GWP) and India Water Partnership (IWP)** within the **Water and Climate Resilience Programme**. This project focused on, **"Mainstreaming Climate Change Concerns in District Planning"** and was implemented by **Development Alternatives (DA)** in Datia district of Madhya Pradesh, India.

We place on record our gratitude to the Global Water Partnership (GWP) and India Water Partnership (IWP) for providing the financial and institutional support and guidance to this task. We also acknowledge the knowledge and institutional support provided to us by Datia District Panning Committee and district line departments, PRIs in Nauner and Pathari Panchayats of the district, local communities of the intervention villages for enthusiastic participation and academic research institutes such as National Research Centre for Agroforestry (Jhansi), Central Soil & Water Conservation Research & Training Institute (Datia) and KrishiVigyan Kendra (Datia).

Research Team

Harshita Bisht, Development Alternatives DeepaChaudhary, Development Alternatives Avanindra Kumar, Development Alternatives

Advisor Team

Anand Kumar, Development Alternatives Dr. VeenaKhanduri, India Water Partnership

EXECUTIVE SUMMARY

Development Alternatives, in association with Global Water Partnership and India Water Partnership launched the WACREP initiative in Datia district, situated in the semi-arid Bundelkhand region of Madhya Pradesh. The objective of this initiative under the WACREP programme is **mainstreaming climate change concerns into development planning**. The initiative aimed to integrateclimate change adaptation in development planningprocesses of Madhya Pradesh.

In order to achieve climateresilience in planning processes, it has been consideredimportant to first understand the underlying locale specificvulnerabilities to climate change. Considering the local sensitivities to climate change, this vulnerability assessment report has been developed for Datia district of Madhya Pradesh. This is a comprehensive combination of top-up and bottom-up vulnerability assessment and provides a holistic picture of the climate change sensitivities and existing coping capacities of communities in Datia district of Madhya Pradesh. The study indicates that temperature and precipitation patterns in the study region show uneven fluctuations over the past 20 years. This is not definitive of climate change but shows clear trends of climate variabilities in the district. Bottom-up primary consultations reveal that the current state of the farming community is alarming and any productivity decline would result in mass scale migration to urban areas, worsening an already precarious labor shortage in the rural regions. Farmers have taken up a number of coping measures prominently, shifting to crops which require lesser water and diversification into trade of vegetables. Forests in Datia district have shown high vulnerability to climate change and the district has been ranked highest with respect to forest vulnerability in the state of Madhya Pradesh. This is an area of serious concern and demands serious actions.

Thus, it is clear that Datia has high exposure to climatic variability and extremes, the farming community has very low adaptive capacities and the social capital has depleted due to long term climatic stress particularly in the last five years. Financially, the farmers are under debt primarily resulting from inability to pay back old loans. Additionally, the study has found that the farming community, particularly women, do not have access to information and the linkages with the institutional set up at the grassroots is weak.

Therefore, there is a clear need for assistance to adapt to climate change in the agriculture and forest sector. The study has identified a set of short/medium term and long term adaptation options including no cost options. Capacity enhancement of the institutional structure within the district is critical for successful implementation of a climate change adaptation project as is cross departmental coordination.

v

ABOUT THE PARTNERS



India Water Partnership (IWP) is a non-profit organization with a goal of promoting Integrated Water Resources Management (IWRM). It is an initiative supported by the Global Water Partnership (GWP). The Mission of India Water Partnership is to support action of sustainable and integrated development and management of water resources at national, regional river basin/sub-basin and local levels in India.



The Global Water Partnership's vision is for a water secure world. Its mission is to support the sustainable development and management of water resources at all levels.



Development Alternatives (DA) has acted as a research and action organisation, designing and delivering eco-solutions for the poor and the marginalised. With a deep understanding of the rural market and a strong presence in the Indian heartland, its existence has been a credible and visible one – nationally and internationally – in addressing poverty challenges in a climate-sensitive environment.

vii

TABLE OF CONTENTS

1.	Introduction	1			
2.	Approach & Methodology	7			
3.	Integrated Assessment Findings	13			
4.	Recommendations For Climate Change Adaptation	21			
Annex I: Block Vulnerability Profiles					
Annex II: Village Vulnerability Profiles 3					
Annex III: Scientific Exchange Workshop					
Annex IV: Stakeholder Workshop On Integrating Climate Change Adaptation In District Planning 54					

1. INTRODUCTION

1.1. Purpose & Approach

Development Alternatives, in association with Global Water Partnership and India Water Partnership has launched the Water and Climate Resilience Programme (WACREP) in Datia district, situated in the semi-arid Bundelkhand region of Madhya Pradesh. The objective of this initiative under the WACREP programme is, mainstreaming climate change concerns into development planning. The initiative aims to integrate climate change adaptation in development planning processes of Madhya Pradesh. In order to achieve climate resilience in planning processes, it has been considered important to first understand the underlying locale specific vulnerabilities to climate change. This detailed assessment report has been developed to identify key climate change vulnerabilities in Datia district of Madhya Pradesh. The prime objective of vulnerability assessments is to identify people or places that are most susceptible to harm due to climate change. Identification of such target groups, and their specification in terms of enhanced sensitivity or low adaptive capacity to the exposure, helps decision makers to recommend or implement specific policies to reduce the vulnerability. Specific district level assessments on climate change provide the necessary evidences for planning adaptation and mitigation against climate change. It will particularly help to design adaptation strategies for weaker and vulnerable sections of the society and will move the planning processes towards climate resilience.

1.2. Background

Climate Change in India

India is the seventh largest country in the world with nearly 700 million rural population directly dependent on climate sensitive sectors (agriculture, forests and fisheries) and natural resources (such as water, biodiversity, mangroves, coastal zones, grasslands) for their subsistence and livelihoods. It is particularly vulnerable to climate change owing to its geographic diversity, stronger dependence on agriculture, increasing exploitation of natural resources, coupled with population growth and socio-economic challenges. In the coming future, climate change may alter the distribution and quality of India's natural resources and adversely affect the livelihoods of its people by affecting the agricultural productivity and thereby the quality of human life. The key environmental and climate change induced challenges in India are becoming increasingly sharper and have multiplied manifold over the past two decades. Climate change will also enhance the frequency of extreme events such as floods and droughts. These, in turn, will impact India's food and water security¹.

The current observed climate and projected changes in the country, as consolidated by the Second National Communication to UNFCCC, are highlighted below (MoEF, Gol). According to India's Second National Communication, the annual mean temperature in India has shown a warming trend of 0.56°C per hundred years during the period 1901-2007. Accelerated warming has been observed in the recent period between 1971 and 2007 and is attributed to intense warming during the decade of 1998-2007. Although no significant trend in rainfall has been observed on an all-India basis, increasing and decreasing trends have been observed on a regional basis within the country. Certain extreme precipitation trends have also been noticed in the country. All these concerns are indicative of the fact that climate change is likely to hamper the achievement of sustainable development in the coming future.

Some of the potential impacts will adversely impact the availability of water resources, increased vulnerability of forest areas through expected increase in species losses and induced changes in habitat for many species and a negative impact on agricultural productivity as well as upon the food and livelihood security. Studies by Indian Agricultural Research Institute (IARI) and others indicate severe expected losses in the Rabi crop. While in certain scenarios, some crops such as groundnut and chickpea show an increase in yields with an increase in temperature and CO2 emissions, the yield of certain crops such as potato could decline.²

¹ India, Ministry of Finance, Economic Survey, 2012-13, pp. 256-57.

² Sanjeev Kumar, M.Z. Hussain and N. Kalra etal(2009)Climate Change, Climate Variability and Indian Agriculture: Impacts Vulnerability and Adaptation Strategies: http://www.springer.com/978-3-540-88245-9,2009

Scenarios show that every 1°C rise in temperature will reduce wheat production by 4-5 million tonnes. Small changes in temperature and rainfall will have a significant impact on the quality of fruits, vegetables, tea, coffee, aromatic and medicinal plants, as well as *Basmati* rice. Other impacts on agricultural and related sectors include lower yields from dairy cattle and decline in fish breeding, migration, and harvests. Global reports indicate a loss of 10-40 percent in crop production by 2100.³

Climate Change in Madhya Pradesh

Madhya Pradesh is the second largest state of India comprising fifty districts spread across eleven agro- climatic zones. The rural areas of Madhya Pradesh are primarily dependent on climate-sensitive sectors such as agriculture, making them highly vulnerable to impacts of climate change. As of 2011, the total population of the state stands at 72.6 million with 72.3 percent being rural. The rural population heavily relies on primary sectors like agriculture, horticulture, fishery, livestock, poultry and forestry for livelihood. Due to climate change, these natural-resource based livelihood sources are expected to be impacted more than the other sectors. Water is a critical resource in the state because several regions, such as Bundelkhand, suffer the dual challenge of scanty rainfalls and high run-off rates. The state is drained by rain-fed rivers and receives 1160 mm average rainfall annually (MP Resource Atlas 2007, MPCST). The climate data analyzed by IITM Pune indicates a declining trend for rainfall over the state of MP from 1901 to 2000. The water availability in the state has been declining. Thus, the dependence on dwindling rain for rejuvenation of water resources makes the state highly susceptible to variations in the distribution and pattern of rain. This irregular pattern eventually influences groundwater resources. Already, the groundwater extraction is unsustainable (for reasons such as highly subsidised electricity and diesel based pump sets) which increases the insecurities in future scenario.

Agriculture is pivotal to the state's economy, accounting for about 45 percent of the State Domestic Product (SDP) and more than 70 percent of the rural labour force⁴. The state is classified into 11 agro-climatic zones and five cropping zones based on cultivation of major crops, on the topography, soil type, land-use and climatic conditions. The net area sown is about 150.74 lakh hectares, which is half of MP's geographical area. Total irrigation area of the state is 30.5 percent and about 70 percent of the area is rain-fed. Cropping Initensity of the state is calculated to be 135 percent, 126 percent being the national average; and, 29 districts of the state have a higher net irrigated area than the country average. Also, the state contributes to seven percent of the food production in India⁵.

These figures point to the huge weightage agriculture has on the state's economy and livelihoods. The state has a large number of marginal and small farmers. Monocropping practice, which is prevalent even today in certain farms in the state, makes the crops susceptible to failure if there is any change in the climate conditions for optimal production⁶.



³ Mall R.K. et al. (2006) 'Impact of Climate Change on Indian Agriculture: A Review' Climatic Change No. 78 pp 445-478

⁴ Indo- UK Collaborative project on Vulnerability assessment and adaptation planning for MadhyaPradesh, 2011

⁵ MP COST, Resource Atlas

⁶ Indian State of Forest Report -2009



Figure 1: Change in annual seasonal precipitation in Madhya Pradesh in 2021-2050 and 2071-2100 with respect to base line (1961-1990) (Source: IITM, Pune)

According to future climatic projections, average surface daily maximum temperature during 2030s is projected to rise by 1.8-2.0°C throughout MP (or Madhya Pradesh) and the daily minimum temperature is projected to rise between 2.0°C to 2.4°C during the same period, with eastern half of the state experiencing more warming than the western half. By 2080s, the maximum temperature is projected to rise between 3.4°C to 4.4°C, with northern region experiencing warmer temperatures. The minimum temperatures are likely to rise by more than 4.4°C all over MP⁷. Projections of rainfall in Madhya Pradesh for the period 2021 to 2050 indicate that there is likely to be a decrease in the winter rainfall as one moves from the eastern part of MP to its western part. The decline in winter precipitation will impact the wheat crop. In the pre-monsoon period, there will be a projected increase in rainfall only in the southern part of MP, with a decrease in rainfall in all other parts.

Climate Change in Bundelkhand

Climate Change stressors are likely to invariably impact the highly sensitive semi-arid regions of India. Limited options of alternative livelihoods and widespread poverty

7 Madhya Pradesh State Action Plan for Climate Change, 2012

continue to threaten livelihood security of millions of small and marginal farmers in the arid and semi - arid regions of India (State of the Environment Report 2009). The semi-arid Bundelkhand region of Central India, with six districts in Madhya Pradesh and seven in Uttar Pradesh, suffers from significant development deficits and challenges of poverty and is one of the most backward regions of our country. It is highly perturbed with variable climatic conditions, intensified by erratic precipitation trends, high evapotranspiration losses, high run-off rates and poor water retention capacity of the soil and large areas of barren and uncultivable land. Drought conditions are frequent in the region leading to unstable socio-economic conditions. Varying weather conditions such as extreme temperatures, erratic rainfall, frost etc. influence crop productivity in summers as well as winters. Monsoon is a critical determinant of the sowing time, which has been varying drastically in the past few years, causing huge losses to the native farmers. Therefore, the development challenge of regions such as Bundelkhand, together with uncertainties posed by climate change impacts, becomes a strong rationale for focusing on climate adaptation interventions in this region.

- Aggregated HDI rank is amongst the lowest in the country
- 10 out of 13 districts classified as backward¹
- 80 percent population dependent on agriculture and livestock
- 85 percent cropped area in Kharif and 55 percent in Rabi (60 percent gross) is un-irrigated due to absence of irrigation facilities.
- ~70 percent irrigation is dependent on ground water sources
- Migration in normal rainfall years 15-20 percent, enhanced to 40 percent in drought years of 2007-08
- Industrial development and tertiary sector contribution to economy is less than 20 percent (two industrial units registered in UP part between 1991 and 2006)
- Per capita energy consumption 130Kwh in UP side (All India average 411 Kwh) with industry share being only 18.7 percent

Source: Multiple sources, UNDP Human Development Report, 2012, Report of Drought Mitigation, Inter-Ministerial Team, 2008, <u>www.Bundlekhandinfo.org,ABSSS</u>, http://bundelkhand-water-rights.org

The economy of Bundelkhand is predominantly agrarian; and, agriculture, livestock rearing and seasonal out migration provide more than 90 percent of rural income in the Bundelkhand region. Climate change sensitivities in Bundelkhand are majorly aggravated by water stress in the region. Irrigation heavily relies on the availability of water through rainfalls, which increases the climate change sensitivities. Loss of traditional water management practices and insufficient water harvesting structures have further added to the stress in the region. The ever-growing population and a parallel increase in demand for natural resources have left agricultural and water resources in the region susceptible to increasing climate change risks, affecting livelihoods of the communities.

Analysis reveals changes in weather patterns and an increase in climatic variability in the region. Climate data from 1980 to 2005 period has indicated an increase in the mean maximum temperature of Bundelkhand region by

0.28°C as compared to the baseline period of 1960-1990. Analysis of the simulated data, generated by PRECIS Regional Climatic Model, predicts that temperature throughout the year is likely to be higher, in the range of 2 to 3.5°C by mid-century⁸. The major precipitation season is expected to shift by one month (from July to August). The shift in the monsoon causes delay in sowing, which in turn delays harvesting and culminates in reduction of the potential yields in drier conditions.

Climate science data developed by the Indian Institute of Tropical Meteorology (IITM) has revealed the climatic change exposure of Bundelkhand region by the end of the century⁹. The data was developed using the PRECIS model run over three time slices (2020s, 2050s and 2080s), using 1970s as the baseline period. A 50 × 50 km resolution was used to develop the results for 5 QUMP (Quantifying Uncertainties in Model Predictions) simulations for A1B scenario. A1B describes a future world of very rapid economic growth with global population that peaks midcentury and declines thereafter. The study focused on two major indicators of climate change-rainfall and temperature in the region. The results from the model predicted variability in climate by the end of the century. The annual average surface temperatures are projected to rise by 1-2°C, shooting up to 3°C and even up to 5°C towards 2020s, 2050s and 2080s respectively, especially in the northern part of Bundelkhand. Projected rise in the minimum temperature is more as compared to the rise in the maximum temperature.

In near future, there may not be much change in the seasonal monsoon rainfall; however, it may increase by 5-10 percent towards 2050s and up to 20 percent towards 2080s with respect to the baseline. July rainfall is likely to decrease, but other months reveal an increase in the rainfall by the end of the century. The number of cyclonic disturbances may decrease in the future but the systems may be more intense with an increase in the associated rainfall by 10-15 mm. The number of rainy days may decrease, but they may be more intense in the future.



⁸ IITM, Pune, India, Second National Communication to The United Nations Framework Convention on Climate Change, MoEF, Government of India, 2002.

⁹ The climatic projections were shared by the IITM in the National workshop on "Climate Resilient Development for semi arid region – A case of Bundelkhand region" organized by Development Alternatives and Swiss Agency for Development and Cooperation (SDC)



1 1.5 2 2.5 3 3.5 4 4.5

Change (° C) in Annual average Surface Temperature towards 2020s, 2050s and 2080s (IITM, Pune)



Monthly rainfall change (%) in QUMP simulations towards 2020s, 2050s and 2080s in individual monsoon months and





Simulated rainfall intensity (mm/day) and projected changes through 2020s, 2050s and 2080s (IITM, Pune)



Simulated number of rainy days and projected changes through 2020s, 2050s and 2080s (Source: IITM, Pune)

1.3. Institutional Context

Having multifold impacts on development and wellbeing, climate change is increasingly becoming a serious concern for development planners, policy makers, decision makers, government officials, practitioners and community-based institutions. Consequently, due to the disproportionate and localized developmental impacts of climate change, vulnerable communities, local institutions and stakeholders are best suited to address them.

At the sub-national level, Madhya Pradesh is one of the most climate change conscious states in the country at present, and its government is taking several measures to protect the communities of climate sensitive regions such as Bundelkhand. Efforts taking place under MPSAPCC, Bundelkhand Package and National Initiative on Climate resilient Agriculture (NICRA) are some such attempts in this direction. However, gaps in the institutional mechanism have so far minimized the pace of efforts towards climate change. Currently, the government is making significant efforts for ensuring water and food security of the region through various schemes and policies, yet information and institutional gaps do exist particularly at state and district level, which have limited the action against climate change. Large sections of marginalized communities (particularly in backward regions of Bundelkhand) face difficulties related to lack of information such as public scheme/programmes, timely weather forecasts, localized climate impacts etc., access to new technologies, and infrastructure. Most importantly, the information from a climate change lens is largely limited at the localized level. Furthermore, the capacities of community groups and institutions are insufficient to design vulnerability-based solutions. cooperation of local groups, Therefore, active communities, local institutions and stakeholders, building up their capacities and empowering them as active participants in the decision-making processes are a foundational pre-condition for efficient and effective adaptation measures. This report analyses the underlying factors behind these information and capacity gaps and provides necessary recommendations for strengthening institutional mechanisms from a climate change lens.

2.1. Assessing Vulnerabilities: Overview & Methodological Approach

The overall approach followed for vulnerability assessments sought to pro-actively engage stakeholders/ stakeholder institutions in a process of dialogue through the course of the assignments via workshops, brainstorming sessions, in-depth interviews, observing onsite conditions and Focused Group Discussions (FGDs). The assessments were divided into four key components and the major activities under each component were as follows:



- a) Set up and Mechanisms for Effective Delivery: In order to assess climate change vulnerabilities for mainstreaming climate change adaptation in development planning, a short scoping phase was designed to engage with relevant stakeholders at state and district levels. It comprised situational analysis and partnership development with EPCO and State Planning Commission and Planning Department of Datia district, Government of Madhya Pradesh. This mechanism helped to engage with government officials in the project area who are responsible for designing plans for the region.
- b) <u>Vulnerability Assessment</u>: Comprehensive methodology consisting of primary and secondary assessments was used to study district level vulnerabilities. Livelihood Vulnerability Index was

used to calculate vulnerabilities to climate change in the district. Using the information from the district level statistics, vulnerability assessment in Datia district was calculated using the Livelihood Vulnerability Index Methodology (Hahn et al, 2009). This methodology was used to prioritize the most vulnerable blocks of Datia district. To validate the study, primary consultations (with line departments and local CSOs in the district) and focused group discussions (with farmers in eight villages of study area) were conducted.

- c) <u>Adaptation Planning and Option Assessment:</u> In addition to assessing vulnerabilities in the region, the project approach emphasized on researches to study and analyze adaptation interventions for setting priorities of adaptation needs.
- d) <u>Planning & Capacity Development Assessment:</u> Focused group discussions at district and village levels helped to assess the capacities of village panchayat members and district level officials to identify capacity gaps for integrating climate change vulnerabilities of institutional set-ups.



Showing focused group discussions being held at village level to assess the capacities of villagers for better understanding of vulnerabilities

(Source: DA)

2.2. Conducting Vulnerability Assessments

Several researchers have put forward various methodologies to assess the vulnerabilities to climate change. One such methodology is the vulnerability assessment using **Livelihood Vulnerability Index** given by Hahn et al, 2009. The LVI methodology comprehensively evaluates livelihood risks of vulnerable communities posed by climate change. The methodology was tailored (using climatic data and secondary information verified by primary consultations) to meet the local rapid assessment needs of the current study. It measures the socio-economic vulnerabilities of a region using IPCC's three contributing factors to vulnerability - **exposure, sensitivity and adaptive capacity**.

Exposure is the magnitude and duration of climate related exposure, such as drought temperature variability or change in precipitation

Sensitivity is the degree to which a system can be affected, negatively or positively, by a change in climate. This includes the change in mean climate and the frequency and magnitude of extremes. The effect may be direct or indirect.

Adaptive capacity is a system's ability to adjust to climate change (including climate variability and extremes), to moderate potential damage, to take advantage of the opportunities or cope with consequences¹⁰.



The reason for selection of this methodology is that it presents a framework for grouping and aggregating indicators at the district level, which can be critical for development and adaptation planning. In addition, the sub components and weighing measures of index can be adjusted in relevance to the local community needs of Datia. This provides an added advantage over other methodologies where these components are more or less fixed. Lastly, it is a socio-economic vulnerability index in which socio-economic indicators are standardized, therefore it is designed to provide development organizations, policy makers, and public health practitioners with a practical tool to understand demographic, social, and health factors contributing to climate vulnerability at the district or community level¹¹. It is a flexible tool so that the researchers and planners can tailor the framework to meet the needs of unique geographic areas (Hahn et al, 2009) such as that of Bundelkhand. Thus, variation and applicability are its biggest advantage¹².

The vulnerability profile for Datia district was calculated using climatic data for the region and secondary information obtained from the district's statistical records. The results were further verified by primary data collection in the region. The climate data was used to understand the variability of climate and the long term trend of parameters. For the purpose of conducting vulnerability assessment, indices were computed for all three blocks of Datia district and were used to derive vulnerability contributing factors—exposure (E), sensitivity (S), and adaptive capacity (A). Each contributing factor was determined using proxy indicators listed in the table below. The LVI uses a balanced weighted average approach¹³ where each subcomponent contributes equally to the overall index even though each major component is comprised of a different number of sub-components. The LVI formula uses the simple approach of applying equal weights to all major components¹⁴.

10 Ebi KL, Mills DM, Smith JB, Grambsch A. 2006. Climate change and human health impacts in the United States: an update on the results of the U.S. national assessment. Environ Health Perspect 114:1318–1324.

¹¹ Hahn, M. B., Riederer, A. M., & Foster, S. O., 2009. The Livelihood Vulnerability Index: A pragmatic approach to assessing risks from climate variability and change—A case study in Mozambique. *Global Environmental Change*, 19(1), 74–88.

¹² Hahn, M. B., Riederer, A. M., & Foster, S. O., 2009. The Livelihood Vulnerability Index: A pragmatic approach to assessing risks from climate variability and change—A case study in Mozambique. *Global Environmental Change*, 19(1), 74–88.

¹³ Sullivan, C., Meigh, J.R., Fediw, T.S., 2002. Derivation and testing of the water poverty index phase 1, Final Report. Department for International Development, UK, 2002.

¹⁴ Hahn, M. B., Riederer, A. M., & Foster, S. O., 2009. The Livelihood Vulnerability Index: A pragmatic approach to assessing risks from climate variability and change—A case study in Mozambique. *Global Environmental Change*, 19(1), 74–88.

The following equations were used in the calculations:

Step 1: Indicators Values for all the indicators are to be standardized for all the districts. Ia - I (min) Indicator Index (Ix) = I (max) - I (min) Standardized value for the indicator Where, Ix = Value for the Indicator I for a particular district, d. la = I (min) Minimum Value for the indicator across all the districts -I (max) Maximum Value for the indicator across all the districts. = **Step 2: Profiles** Indicator Index Values are combined to get the values for the profiles Profile (P) = $\sum_{i=1}^{\infty} \text{Indicator Index}_1$ where, n - number of indicators in the profile Indicator Index i - Index of the i-th indicator. **Step 3: Components** Values of the profiles under a component are to be combined to get the value for that component. Component (C) = $\frac{\sum_{i=1}^{n} W_{Pi} Pi}{\sum_{i=1}^{n} W_{Pi}}$

where $W_{_{\rm P1}}$ is the weightage of the Profile i

• Weightage of the profile will depend on the number of indicators under it such the within a profile each indicator has equal weightage

Step 4: Vulnerability Index

- The combination of the value of the three components will give the vulnerability Index.
- Vulnerability Index = (exposure Adaptive Capacity) x Sensitivity

Contributing Factors	Components	Weightage (Wpi)	Sub-Components
		2	Temperature Variability
Exposure (E)	Climate		Rainfall Variability
			Rural to Urban Ratio
	Demographics	3	Sex Ratio
			Below Poverty Level Population
			Percentage of forest cover
			Groundwater Availability
		3	Area of waste land
	ensitivity(S) Agriculture		Irrigation Intensity
			Cropping Intensity
Sensitivity(S)			Fertilizer Usage
		6	Livestock population per hectare net area sown
			Number of people dependent on Agriculture
			Number of small scale farmers
			Literacy Rate
			Number of health care centers
	Socio-economic Status		Number of villages with access to drinking water
Adaptive Capacity(A)			Number of hand pumps
			Number of Agricultural machinery

Major components and sub components of Bundelkhand region of Madhya Pradesh

In addition to assessing district and block level vulnerabilities, the study also developed **village level vulnerability profiles** for eight villages in Datia block. These vulnerability profiles were an attempt to highlight sensitivities and adaptive capacities at grassroots level that determine local level vulnerabilities faced by communities at the last mile.

2.3 Selection of Indicators for Measuring Vulnerability Index

A holistic set of indicators have been selected in order to represent the contributing factors for vulnerability i.e. exposure, sensitivity and adaptive capacity. Vulnerability is a function of three aspects with respect to climate change. These indicators are representative of the livelihood and socio- economic vulnerabilities in the Datia district of the climate-sensitive region of Bundelkhand.

Exposure

Climate

This factor includes current climate variability in the region indicating temperature and rainfall variability. Higher interannual rainfall variability indicates a higher probability of unanticipated amounts of rainfall in a given year. This could

mean flooding, drought, or simply below/above average rainfall that impacts agriculture. Also, rainfall is crucial in water recharge and in rain-fed cultivation systems. Additionally, temperature variability exposes the region by affecting crop productivity (due to uncertainties), increased evapo-transpiration losses and decrease in soil moisture.

Demographics

Rural to Urban Ratio

More than 70 percent of rural labour force is engaged in the agricultural sector and is therefore highly dependent on agriculture for their subsistence and income. Agriculture is one of the most sensitive sectors to variable climatic conditions. Therefore, rural population percentage acts as a proxy for the degree to which a district's population relies on agriculture for their livelihood, which correlates with climate change sensitivity.

Sex Ratio

Low sex ratio further increases the sensitivity of women towards climate change due to increased cultural and social pressures, additionally increasing their already high vulnerability to climate change.

Below poverty level population

Poor families have lack of resources because of which they will be less adapted to climatic stress indicators. Districts with higher numbers of BPL families will have a lower adaptive capacity.

Sensitivity

Ecosystem

Percentage of forest cover

Forest resources are highly sensitive to the impacts of climate change. Climatic uncertainties in future may affect the composition and distribution of forest resources. This will disturb the delicate balance of bio-geochemical cycle, making the forests prone to degradation. This will also affect forest productivity. Lastly, this may result in habitat shifting of fauna in the region.

Ground water availability

The variability in rainfall may affect recharging of

groundwater in the region. This may also result in overextraction of groundwater resources. There is a high reliance on groundwater in the region, for irrigation, drinking water and other. The situation is aggravated by low percolation rate and sudden extreme drought conditions.

Area of wasteland

Wasteland in the region increases the sensitivities due to loss of land's fertility, thus decreasing the land area fit for farming or grazing in the region. The area of wasteland increases with the changing soil moisture conditions. Climate change is thus likely to affect the situation of wasteland in the semi-arid geography.

Agriculture

Irrigation intensity

Climate variability and impacts such as drought will affect the water resources (e.g. water in wells, dug wells, ponds) available for agriculture. The vulnerability of irrigation sources makes irrigation highly sensitive to climate change.

Cropping intensity

It refers to raising a number of crops from the same field during one agricultural year. This indicates the pressure on the same amount of land for farming. Cropping is directly related to the irrigation facilities available, thus indirectly making it sensitive to climate change.

Fertilizer usage

They serve as an environmental indicator and vulnerability to failure of rains would lead to an increase in its usage.

Livestock population per hectare net area sown

Livestock, an adaptation option, has itself become highly prone to uncertainties of climate change. Adverse impacts of climate change in the Bundelkhand region (such as increasing extreme temperatures, increased frequency of droughts, scarcity of water resources, and poor availability of fodder) have severely affected the livestock population in the region. In semi-arid geography, livestock is a main alternative source of livelihood. Their sensitivities may increase due to the occurrence of new unidentified diseases, heat strokes and low productivity.

Number of people dependent on agriculture

This indicates the dependency on agriculture as a major source of livelihood, which is one sector that is highly sensitive to climate change.

Number of small scale farmers

Small and marginal farmers are more sensitive to climate variability because they tend to have less resources/means to respond to external pressures. Districts with relatively higher numbers of small farmers will be more sensitive to climate variability.

Adaptive Capacity

Socio-economic Status

Literacy rate

Literacy rate acts as a proxy for the general level of human capital (i.e. education) in a district. This indicates the level of awareness people might have. Higher the level of access and information to the people, higher is the adaptive capacity.

Number of health care centers

Health care facilities increase the adaptive capacity by

providing infrastructures to respond to the health impacts of climate variability.

Number of villages with access to drinking water

Assesses water resource of a particular area and easy access to drinking water reduces vulnerability.

Number of hand pumps

The availability of hand pumps indicates access to groundwater resources, an additional source of water for the community. Having access to this type of water resource increases the adaptive capacity to drought and related climate stressors.

Agriculture machinery

Agricultural machinery serves as a proxy for the state of agricultural development in any district. Districts with more agricultural machinery are assumed to be more developed. A more developed agricultural sector will have a higher adaptive capacity to climate variability. It also indicates the mechanization adopted in farming practices for ease and better crop productivity.

3. INTEGRATED ASSESSMENT FINDINGS

As stated above, vulnerability is defined as a function of exposure, sensitivity and adaptive capacity. Based on these three functions, climate change vulnerabilities of Datia district are as follows:

3.1. Vulnerability Assessment- An Analysis

District Vulnerability Profiles of Datia

Datia district is located in the eastern region of Gwalior region of Bundelkhand, covering 2959 sq km and is the smallest district of Madhya Pradesh¹⁵. The mainland

extends between 25°27'N & 26°17'N and the East-West extent of district is contained between 78°13'E & 78°15'E of longitude and has an elevation of 215 metres above the sea level. It is divided into three tehsils, Seondha, Datia and Bhander. Entire soil in the area is composed of vertisols and inceptisols, which make it highly alkaline. The factor that makes rural population in Datia district vulnerable to climate change is that the rural folk are highly dependent on climate sensitive sectors such as agriculture and low adaptive capacities to deal with climate-induced risks. The vulnerability index calculated for Datia district is as follows:

Vulnerability Indices of Three Blocks of Datia District (Note: Scaling is done from -1 to +1 indicating low to high vulnerability)

Block	Livelihood Vulnerability Index Value
Seondha	0.2356
Datia	-0.2363
Bhander	0.17287



District Vulnerability Map

Exposure to Climate Change



District Exposure Map

Climate

The climate of Datia is characterized by general dryness and hot summers, except South-West monsoon season. May is the hottest month of the year with an average temperature of 42.1°C, January being the coldest with an average temperature of 23.2°C. The mean humidity in the region drops to as low as 26 percent in evenings and remains below 40 percent in the mornings and the humidity rises sharply with the onset of rainfall. The large gap in the daynight and summer-winter temperatures, and the prevalence of extremely low levels of humidity, is the reason for the climate of the district being arid.



Monthly Average Temperature for Datia Madhya Pradesh from 1981-2007 (Source: NICRA)

The average annual rainfall recorded in the district during 1964-2011 was 776mm. Out of these 47 years, annual rainfall had been within ± 150mm of the average of around 750mm for the initial 29 years (wherein for the initial nine of these 29 years, rainfall had been in the range of 601-650mm; and for the next four years, it had been between 851-900mm and for the rest, within ±100 of the norm and above 750mm for the remaining years). For the next 18 years, rainfall had been highly deficit for the initial seven years (wherein for the initial three years, it was below 500 mm out of which it dipped as low as 313mm during 1979-80) and excessive for the next 11 years (wherein for the initial nine years, it was around 1000 mm; and, it was between 1001-1150mm for the next 8 years; and it went as high as 1362mm for the year 1985-86). Last decade in Datia has been one of the worst, since it has undergone a period of relatively deficit rainfall, both in terms of its quantity as well as the number of rainy days. The onset of rainfall in Datia is considerably later than in the other districts and almost all the rainfall falls within a very short span of time and follows a typical monsoon pattern.



Monthly average rainfall for Datia Madhya Pradesh from 1980-2011 (Source: NICRA)



No of rainy days for Datia, Madhya Pradesh form 1980-2011

Demographics

The population of Datia is 786,375 (53.4 percent males and 46.5 percent females) as per the 2011 Census and the district population density is 292 persons per sq. km. In all, 76.83 percent of the population resides in rural areas, indicating the inclination towards the agriculture sector. The sex ratio is 875 females per thousand males, which is much less than the state ratio of 930 and the national figure of 940 respectively. The decade population growth of the district is 18.4 percent, which is lower than that of the state (20.3 percent) and little higher than the national average of 17.64 percent. The increasing rate of population and subsequent decline in the resource base adds to the susceptibility of the people to be affected by any untoward incident. Without any robust development scheme, the increasing population will be constantly at risk without sufficient capacity to cope with the impacts of climate change on agricultural productivity, water availability, health and other sectors.



Source: Datia Resource Atlas, 2013

The share of the district in the state population during the pre-Independence period had a decline of 0.88 percent, which grew by 18.37 percent during 2001-2011, but is still lower than the state average growth rate.

The district is predominantly rural with a rural to urban population ratio of 76.8 percent to 23.2 percent. Urbanization ratio of the district is 20.7percent, which is considerably lower than the state ratio of 26.5 percent. This ratio has however increased from 21.90 percent in 2001 to 23.17 percent in 2011. However, the below poverty level (BPL) population of the district is 20,080.



Source: Datia Resource Atlas, 2013

Female-male ratio in the district, as counted in 2011, is quite low (at 872 females per thousand males) as compared to the state average of 919 females per thousand males and national average of 933. The gap has however narrowed down from 2001 when the district had even fewer females.



Sensitivity to Changing Climate

The semi-arid drought prone geography of Datia district is highly sensitive to climatic variability. Natural resource base and agriculture are some of the most sensitive indicators in the region.



District Sensitivity Map

Ecosystem Sensitivities

A large area of soil in the district, particularly along the Seondha block, is characterized by deep gullied ravines. These ravines are highly vulnerable to intense rainfall, which often causes soil erosion in these gullies and results in the removal of the top soil.

Forests

The total forest area in Datia district is around 38,000 hectares. However, only 38 percent of this forest cover is dense forest. The remaining forested area is either open (52.63%) or scrub forests (11%). The ravines of Datia district consists of thorny (often leafless) shrubs and trees. Forest cover of Datia commonly includes *kardhai, babul, ber, sheesham* etc. According to India's State of Forest Report (2011), forest cover in Datia is merely 5.83 percent of the total geographical area. Population growth, increase in cultivable land, increased extraction of fuel wood,

anthropogenic pressures and climatic changes have, all-inall, affected the quality of forests in the region. Losses in the agricultural produce, due to variable climate, have also increased people's dependence on forests for other livelihood options. Deforestation has also become rampant, which has led to slow environmental degradation of the district. Over the years, forested area in the region has shrunken. Due to the declining forest cover, the land is losing its fertility at several places because of the increasing rate of erosion. This has also lowered the water-holding capacity of soil in several areas of the region.

Datia is particularly vulnerable with respect to both forest and climatic vulnerabilities. In fact, Datia is one of the most vulnerable districts in the Forest Index in the base period and is highly vulnerable environmentally¹⁶.



Source: District Statistical Handbook, 2010

Water

Most of the agricultural area in Datia is irrigated by tube wells, dug wells and tanks. However, the total area irrigated from all the sources is 175364 hectares. Groundwater is the main source of irrigation in the area.

As the rainfall distribution pattern changes with the changing climate, groundwater resources are also under grave threat. Along with geological conditions, climatic variables also impose threat to the resources. Hence, it is essential that water management practices are adopted in the region for water security reasons.

16 Vulnerability assessment report of Madhya Pradesh towards climate change , February, 2014



Groundwater resources are particularly vulnerable to climate change in the region. Showing dependency on rainfall and precipitation trends, groundwater reserves are sensitive to climate change and act as an important indicator in highlighting the sensitivities of Datia district. The analysis of decadal (1995-2005) average groundwater levels in Datia district depict that groundwater level trends have shown a decline all over the district in the past few years. The long-term water level trend shows a decline of 0.221-0.839 and 0.379-0.959 m/year during pre-monsoon and post-monsoon periods, respectively which seems guite significant. The long-term water level trend shows a rise of 0.054-0.251 and 0.007-0.027 m/year during pre-monsoon and post-monsoon periods, respectively in the command canal area in the North Central part of the district. Declining groundwater levels in the region highlight that erratic rainfall, heat stresses and excessive exploitation of groundwater resources have made it highly vulnerable to climate change. This factor puts Datia district at a great risk and jeopardizes the management of water resources in the region. Decreasing levels of groundwater resources over the years is also credited to the construction of wells for irrigation purposes. These practices have increased in the recent past without much consideration of well-spacing. This has caused an adverse impact on the groundwater regime in some localized areas¹⁶.

Livestock

In the semi-arid geography of Datia district, livestockrearing is a common livelihood option practiced by the communities. Over the years, people have moved beyond cattle and are taking up poultry and goat-rearing as options. But, growing unavailability of grazing pastures has added to the woes in livestock rearing. According to statistical records, livestock population in Datia district has decreased over the years. Except a few communities, such as the *Yadav* clan, which chiefly depend on cattle, others have shown a declining trend in continuing with this livelihood option due to lack of resources to keep the animals healthy. Lack of fodder availability and water has reduced the interest of local communities in livestock-rearing, which has further lowered their adaptive capacities.

Agriculture Sensitivities

Around 85 percent of population in Datia district is dependent on the climate-sensitive agriculture sector for livelihood and income generation. In all, 62.1 percent of the total workers are cultivators and 16 percent are agricultural labourers, who will be badly affected by impacts of rising temperatures and extreme events on crop productivity. Despite having the maximum share in livelihood generation, the share of agriculture and allied activities in Datia has reduced over the years. Between 2005-06 and 2008-09, the net sown area decreased from 1, 97,200 hectares to 1, 96,000 hectares. The production output of wheat dipped down from 266 thousand metric tonnes in 2006-07 to 29.08 thousand metric tonnes in 2009-10. This was attributed to erratic weather conditions in the region. (District Statistical Handbook, 2010).

Datia district has a high percentage of small land holding size, with an average of just 0.46 hectares. Marginal land holdings (of less than one hectare) form the bulk of cultivation and account for 47.7 percent of all holdings and command only 12.8 percent of the total area. This shows that climate sensitive agriculture sector has become a gamble for farmers with small land holding size that solely depend on small agricultural lands and raise merely a single crop in a year.



Percentage of Land Holding Size in Datia (Source: Datia Resource Atlas, 2013)

17 Datia: District Groundwater Information Booklet, Ministry of Water Resources , Central Ground Water Board (2009)



District Adaptive Capacity Map

Adaptive Capacity to cope up with Climate Change

Datia's adaptive capacity is determined by the district's ability to withstand exposure and overcome its sensitivities. Socio-economic conditions play a major role in determining the adaptive capacities of a region and help the communities to cope with climate induced risks.

Socio-Economic Adaptive Capacity

Total literacy rate in Datia district is 59.39 percent. There is a general lack of awareness among the communities due to illiteracy and lack of support services, which could have enabled them through information. The status of women is further low in the region due to cultural and social barriers and low development indices. Water for drinking and other household purposes is fetched from far off sources by the household females, adding to their normal work load.



Difference in male and female literacy rates in Datia district (Source: Datia Resource Atlas, 2013)

Farmers in the district are small scale farmers, with an average land holding size of two hectares. In addition, the productivity is low and highly dependent on weather conditions. Also, only a very small number of farmers are able to get access to national crop insurance schemes of the government.

Migration is also commonly prevalent in several parts of Datia. This is particularly high in areas with low levels of urbanization and high levels of industrial activity. Overall, the urbanization ratio of Datia district is relatively low (20.7 percent) when compared to the urbanization ratio (26.5 percent) of Madhya Pradesh state.

Household Level Vulnerabilities to Climate Change

In addition to the quantitative assessments of Datia at the district level, primary consultations with communities reveal micro level climate change vulnerabilities at the household level. Some of the key findings from primary household assessments are as follows:

 Demographically, imbalanced male-female ratio and caste structures are some of the social dynamics which play a great role in varying sensitivities and adaptive capacities of communities in Datia. Even though females in the villages are involved in farming activities such as sowing, thrashing, harvesting, sorting and storage, their involvement in the decision-making process is limited. This highlights that they are still largely restricted to manual labour and have

diminished adaptive capacities. Similarly, lower caste people and below poverty line population are also restricted due to low resource base, limited income and hence exhibit poor adoption of new and advanced adaptation strategies.

- Small scale farmers and landless farmers are also prevalent in villages of Datia. These farmers do not have any fixed source of income and often migrate when weather conditions disrupt the economic activities in the region. To further add to the socioeconomic vulnerabilities, illiteracy and lack of information is significant in the region. A large number of people face problems due to lack of information, low levels of awareness about welfare schemes and poor information capacities to cope with high risk situations.
- A large number of farmers practice open irrigation through diesel-powered motors and have still not adopted micro-irrigation techniques. Diesel cost is an additional cost input for the farmers and is a particularly heavy economic burden. This extra load, coupled with over-extraction, has added an enormous pressure on the ground water resources.
- Several villages in the district are surrounded by patchy areas of forests. These patches are fragmented in nature and are accessed by the communities for livestock grazing, fuel wood and other forest produce. These factors have made the forest resources available to the communities at risk. If not used efficiently, exploitation of fragmented forests can degrade the available resources and affect the micro-climate of the region.
- Alternate sources of income such as livestock-rearing, agro-forestry, vegetable farming and poultry have shown to minimize the risks faced by the communities against climate change. These activities are not only bringing additional incomes to the farmers, they are also enhancing their resilience.
- Climate change impacts are severely affecting the soil quality and fertility in the region. Discussion with farmers revealed that over the last few years, excessive rainfall in a short period of time has intensified the problems of soil erosion in several regions of the district. This often leads to erosion of soil from farming fields and causes loss of nutrient- rich top soil.

Additionally, a large number of farmers have shown an increased dependency on chemical fertilizers over organic fertilizers.

Institutional Capacity Assessment

Currently, the government is making significant efforts for ensuring water and food security of Datia district through various schemes and policies, but evidence from the primary consultations indicates that implementation at the ground level is limited. Given the level of vulnerability of the blocks of Datia, this chapter/section maps the institutional capacity to address the vulnerabilities faced by the communities.

Contingency Plan for Agriculture

The agriculture department of Datia district prepared a contingency plan to advise farmers on appropriate adaptation responses in the situation of a delayed or deficient monsoon. The plan advises the farmers on drought-resistant and short duration crop varieties, improved crop management techniques, and soil nutrient and moisture conservation measures that can help mitigate the potential impacts of different rainfall situations. However, responses received during primary consultations signalled that dissemination of this information to the grassroots farming communities is limited due to:

- Inadequate implementation of the policies
- Lack of institutional capacity and manpower
- Weak agricultural support delivery mechanisms
- Poor outreach to interior villages
- Limited number of information centres

Krishi Vigyan Kendra (KVK) Extension Services

The KVKs have established several model villages to demonstrate improved agricultural and water management techniques. KVK also conducts exposure visits for farmers to villages in other states with similar agroclimatic zones, such as Maharashtra, for exchange of knowledge and experience. These focussed model demonstrations and exposure visits are a good platform for farmers to understand and adopt new and advantageous technologies. The primary consultations with line departments and other stakeholders suggest that such demonstrations and training visits need to be scaled up to larger masses to enhance the efficiency and adaptive capacity of small farmers. The underlining problem with this framework is that far-off villages are left unaware.

Outreach

There were strong recommendations from stakeholders to strengthen the information flow from government departments to villages. From ground level fieldwork, however, there is evidence that the dissemination of this information to the grassroots farming communities is limited for several different reasons. First, there are staff shortages in extension agencies. There are no Rural Agriculture Extension Officers (RAEOs) at the grassroots level to meet the information needs of the entire region for which they are responsible. Each RAEO is incharge of providing extension services to around one to five villages, but these agents often do not adequately serve these villages because of lack of dedication and adequate skills. Focus group discussions revealed that for many farmers, their only option to receive beneficial information and scheme assistance is to travel directly to the appropriate extension agency. Unfortunately, the spatial distribution of the locations where farmers can access information directly such as KVK, ATMA, or Agricultural and Irrigation Department offices is widespread. Often, farmers find out that the cost in terms of time and money of travelling to these distant locations is not worth the perceived benefit that they will receive from their efforts.

Additionally, in order to receive assistance in many cases, farmers feel that they must navigate many administrative obstacles such as lengthy paperwork and procedures. This barrier, in addition to the long travel distances, further reduces farmers' interest in seeking these benefits. Additionally, the group discussions with farmers revealed that toll-free agricultural help lines operated by the KVKs are largely unutilized due to general unawareness among farmers. The farmers also stated that the information received from KVK's agricultural SMS service is often lacking in clarity or usefulness in its totality.

Weak Delivery Mechanisms

Extensive fieldwork and consultations in the Datia project reveal that scheme implementation and resource allocation at the local level is not efficiently distributed and that long-term planning, as is required to address climate change, is simply missing. This deficiency is driven by a variety of factors including lack of climate change related information and communication capacity at the district and community level, insufficient scheme and policy outreach, and top-down budget allocation processes that do not necessarily reflect the needs on the ground. Thus, even though currently, there is a framework in place to allow planning to occur in a decentralized manner where information and plan formation flows from the ground level to the state level, the climate change perspective is still amiss. Though this framework develops perspective district plans for five years, it does not highlight climate adaptation.

Weakened Market Situation for Agricultural Produce

Community farmers also stated that they face difficulties in selling their agriculture produce to *mandis* due to:

- Excessive competition
- Time consuming procedures
- Low transparency in the process
- Weakened market system for vegetables as in Chhatarpur
- Weak market linkages

In another initiative, the agricultural department is promoting low-input technologies such as vermicomposting and bio-fertilizers. The focus group discussions, however, indicated that majority of large farmers were the primary beneficiaries of the agricultural department's outreach efforts due to higher levels of awareness and the financial ability to adopt such measures. The long-term nature of climate change and the significant impact it can have on agricultural systems requires future agricultural development policies and practices to include both short-term and long-term planning that incorporates climate change knowledge and understanding in order to adequately respond to the reality of a changing climate—a process referred to as climate change adaptation.. There are several adaptation measures available in the short term and long term perspective which, if incorporated well for the present geography, can create significant change in the lives and livelihoods of the communities. Currently, there are many existing schemes, policies, and practices that have been formulated, implemented, and deployed to enhance the livelihoods of rural communities. These actions can be further retrofitted and efficiently implemented to serve the purpose of climate-resilient development. Some of these practices are detailed below.

Agriculture

- Usage of improved seeds and varieties like drought tolerant crops and short duration crops: Can allow crops to better adapt to scarce water situations by shortening the duration of time water is needed; can also increase cropping intensity by allowing more additional crops to be planted and harvested.
- Encourage mixed cropping (multi-cropping, intercropping) and crop diversification to reduce risk: Depending on crop selection, this inter-croping can reduce the risk of total crop failure through diversification of crops as well as increase the overall yield through synergistic effects between different crop types.
- Agro-horticulture and Agro-forestry: Can help diversify a farmer's crops, increase sustainability, income and productivity of fields through synergistic effects between crops and trees/shrubs as well as increase the natural resource base and/or income through increased production of woody materials.
- Dry sowing and Line sowing: Allows for timely planting of crops during dry conditions, which can increase the yield as compared to late sowing by decreasing interspecies competition; uses less seed than the 'broadcasting' sowing technique.
- Employing different agricultural methods: Ridge and furrow method allows for water drainage in the case of

extreme rainfall; provides better aeration to roots and conserves soil moisture during times of scarce rainfall. Counter cultivation slows the water run-off from hilly slopes, which reduces soil erosion and allows more water to infiltrate the soil.

- Provision for weather based crop insurance and fortification of the existing credit scheme linked with insurance: Weather indexed crop insurance will be better suited to the region as the current insurance is against loss of crops which is difficult and non-transparent. Also, the number of farmers who are able to avail the facility of insurance schemes is limited. Efforts are needed to bring a larger number of farmers within the ambit of insurance schemes. Kisan credit card scheme was found to have better acceptance among the farmers in the region. The scheme simultaneously insured the farmers against crop loss. Such similar insurance mechanism for the farmers in the region can benefit them in case of crop damage due to weather variability.
- Wadi-little orchards to enhance livelihood security: It is a tree-based farming model that has helped tribal communities of Bundelkhand region to use the potential of their under-utilized resources for sustainable small farm based livelihoods. It has been employed specifically to minimize climatic, biological and marketing risks and provide an opportunity to small and marginal farmers for better management of natural resources and enhanced adaptive capacities against climatic risks.
- System of Crop Intensification/System of Rice Intensification (SRI): Can significantly reduce water and seed requirements for rice while simultaneously increasing the yield significantly. The System of Rice Intensification, known as SRI, is an agro-ecological methodology for increasing the productivity of irrigated rice by changing the management of plants, soil, water and nutrients. It is based on the cropping principles of reducing plant population significantly, improving soil conditions and irrigation methods for root and plant development, and improving plant establishment methods.
- The benefits of SRI include 20-100 percent or more increased yields, up to a 90 percent reduction in the

required seed, and up to 50 percent water savings. SRI principles and practices have been adapted for rain-fed rice as well as for other crops with yield increases and associated economic benefits. We use 'SCI' as a generic term for all other crops besides rice. For a specific crop the term is adapted; for example for wheat, System of Wheat Intensification or SWI is used. SRI systems teach us that we can produce more by using less. RI is a knowledge-based approach, and once farmers have learnt about the new principles, they can become more independent in improving their agriculture. It is fascinating to see the transformation of farmers, who have started working with SRI, becoming so much more confident and entrepreneurial in developing their own innovations.

• Use of organic fertilizers: Organic fertilizers like manure, compost and green manures add organic matter to the soil and feed the life that lives within the soil. These are not only cost- effective, they also make the soil rich and ideal for planting. With a good soil, plants will get the nutrients that they need. Furthermore, organic fertilizers do not upset the balance in the soil as they do not leave behind any artificial compounds.

Water:

- Improved irrigation methods like drip irrigation, sprinkler Irrigation and furrow irrigation: Can significantly increase water and fertilizer use efficiency by reducing evaporation and water runoff, can reduce labour inputs while increasing the area of irrigable land and allows large areas of land to be irrigated with relatively little technological inputs.
- Groundwater recharging structures such as check dams and gabions: Can help reduce erosion and increase soil water infiltration; retained water can be used for irrigation, reduces required channel maintenance and thus increases groundwater levels and recharge rate.
- Farm ponds: A farm pond is a large hole dug out in the earth, usually square or rectangular in shape, which harvests rainwater and stores it for future use. The pond is surrounded by a small bund, which prevents erosion on the banks of the pond. They provide

irrigation water during dry spells between rainfalls. This increases the yield, the number of crops in one year, and the diversity of crops that can be grown. Bunds can be used to raise vegetables and fruit trees, thus supplying the farm household with an additional source of income and of nutritious food. Farmers are able to apply adequate farm inputs and perform farming operations at the appropriate time, thus increasing their productivity and their confidence in farming. They check soil erosion and minimize siltation of waterways and reserves, provide water for domestic purposes and livestock, promote fish rearing, recharge the groundwater, and improve drainage.

- Rainwater harvesting: As the water crisis is becoming severe, there is a need to reform the water management systems so that water could be available to all. Water can be conserved using one such technique called rainwater harvesting, wherein rainwater could be stored and has proven to be an efficient way of conserving water for future needs. It also helps in ground water recharging through percolation. It will cater to the demands of the people. Rainwater harvesting provides an independent water supply during regional water restrictions and drought conditions, can help to mitigate flooding of low-lying areas, and reduce the demand on wells which may enable ground water levels to be sustained.
- Weir embankment: These are the structures around the field that helps in retaining the soil moisture, which is exceptionally beneficial in an area of low water availability and in situations like drought.
- Integrated Watershed Management Programme: IWMP provides a good platform for conservation and management of water resources and drought- proofing the semi-arid region of Bundelkhand against the cascading effects of adverse climatic conditions. This programme integrates the Drought Prone Areas Programme (DPAP), Desert Development Programme (DDP) and Integrated Wastelands Development Programme (IWDP) of the Department of Land Resources, with key objectives of drought-risk mitigation, augmentation of land productivity and harnessing the water storage potential of the region. Integrated Wastelands Development Programme

(IWDP) focuses on restoration of cultivable wastelands through afforestation of degraded forests and nonforest wasteland. The Drought Prone Areas Programme (DPAP) identifies drought-prone blocks and functions to minimize the adverse effects of drought on production of crops, livestock, and the productivity of land, water, and human resources through development of watersheds, percolation tanks, check dams and other measures. It works towards enhancing the adaptive capacity of the communities by introducing soil and moisture conservation measures, promoting agro-forestry and horticulture, developing superior drainage structures and rainwater harvesting. The Desert Development Programme (DDP) has been conceived as a long-term measure for combating desertification and restoring ecological balance by conserving, developing and harnessing land, water, livestock and human resources. It seeks to promote the economic development of the village community and strengthen the disadvantaged sections of the society in rural areas.

Farmers Adaptation Cluster

Farmers Adaptation Cluster is an initiative by Development Alternatives. The initiative started with an initial limited sample of 100 small and marginal farmers in Bundelkhand to explore and adopt, on a pilot basis, measures that would increase adaptive capacity to drought conditions through the use of sustainable agriculture practices and efficient use of energy and water. Some of these measures included promotion of efficient irrigation, soil conservation methods and agro-forestry involving demonstration plots and exposure visits of farmers. Although single interventions have limited impacts, putting together different available technical options coupled with institutional strengthening demonstrate significant impacts. Farmers are ready to adopt 'demonstrated beneficial practices' even if these are not formally validated by research / Government institutions.

Some of the key aspects of FAC include:

- Extension of crop insurance to cover more farmers as the current penetration of the insurance scheme is not adequate.
- Establishment of "Farmers Adaptation Clubs/Clusters" to bring farmers together to respond to threats of climate change by connecting them to local markets.
- Enhancing the access to information of farmers by use of innovative platforms such as radio based Rural Reality Shows and mobile telephony. Access to knowledge and information and cooperative action will enable farmers to enhance productivity, reduce input costs and bring about a quick change in strategy when the monsoon variability threatens the Kharif sowing.
- As exchange of knowledge is critical to adaptation, there is a need to set up or strengthen the existing knowledge platforms.
- No cost options such as change in sowing dates have been shown to minimize losses or to actually increase the yields of agricultural crops. Such measures need to be tested at a pilot level for research purposes and then if found feasible, be scaled up.
- Increasing the number of information wherein the farmers can attain information about the weather, schemes, agricultural inputs and climate resilient adaptation options viable in Bundelkhand region.

Others

- Knowledge sharing and communication: Can help in transfer of knowledge relating to agricultural, water resource, or other adaptation strategies through various channels including workshops, farm visits, plus information and communication technology. The backward regions have always suffered from lack of information, which has quite often termed them susceptible to extreme events. It is important that the knowledge-sharing network of civil society organizations, government authorities and scientific community is strengthened for better communication to benefit the grassroots. Only with the validated and relevant information can the communities adapt to the change through online softwares like Skymet, from where one can easily get information about the weather.
- Livestock rearing: Can help reduce agricultural risks and increase the overall income by utilizing marginal lands for grazing and fodder; it can still be susceptible to climatic conditions that reduce available grazing lands and fodder. There is a need to improve the variety and breeds of milch animals.

Implementation of Pashu Sakhi Model: The Pashu Sakhi Model of animal health care is an initiative in Bundelkhand region and consists of a cadre of trained women animal health workers at the village level. Their main objective is to focus on strengthening livestock rearing as a viable livelihood option. These services range from vaccination and de-worming to providing first-aid and medication for diseases such as diarrhoea, common cold, fever, and bloated stomach. In addition, they also raise awareness of livestock rearers regarding management practices such as shed maintenance, low cost feed and fodder, and provision of clean drinking water. This integrated model helped to develop a community-based participatory adaptation system for livestock rearing and income generation alternative in the region. Its successful implementation by communities was helpful in identifying the business potential of this model in good livestock management practices and yielding better financial returns. A lot of such models could be thought of and could be replicated by sharing the knowledge related with others through platforms like street play, since appropriate dissemination of knowledge is even more important than capturing knowledge.

Some of the short and medium term (2-3 years) measures which may be suggested are:

- Promotion of efficient irrigation, soil conservation methods and agro-forestry, involving demonstration plots and exposure visits of farmers. Although single interventions have limited impacts, putting together different available technical options coupled with institutional strengthening demonstrate significant impacts. Farmers are ready to adopt 'demonstrated beneficial practices' even if these are not formally validated by research / Government institutions.
- Extension of crop insurance to cover more farmers as the current penetration of the insurance scheme is not adequate.
- Establishment of "Farmers Adaptation Clubs/ Clusters" to bring farmers together to respond to the threats of climate change by connecting them to local markets.
- Enhancing the access to information of the farmers by use of innovative platforms such as radio based Rural Reality Shows and mobile telephony. Access to knowledge and information and cooperative action will enable farmers to enhance productivity, reduce input costs and bring about a quick change in strategy when the monsoon variability threatens the kharif sowing.
- As exchange of knowledge is critical to adaptation, there is a need to set up or strengthen the existing knowledge platforms.
- No cost options such as change in sowing dates have been shown to minimize losses or to actually increase the yields of agricultural crops. Such measures need to be tested at a pilot level for research purposes and then if found feasible, be scaled up.
- Increasing the number of information wherein the farmers can attain information about the weather, schemes, agricultural inputs and climate resilient adaptation options viable in Bundelkhand region.

In the long run, there needs to be a systematic approach to the problem that may consist of:

• Conducting research to identify the best approach to adapt agriculture to climate change by determining
the crop mix which would be most resilient to the impacts of climate change in different regions of the state

- Establishment of a meteorological network in the • state to provide customized local information and forecasting services to the farmers that will help in reducing the impacts of climate variability
- Institutional capacity building will play a crucial in adapting to climate change by providing appropriate direction and channelization of funds and efforts. Therefore, there is a need of a long term programme for capacity building on key aspects of climate change adaptation.
- The Government of MP needs to review its procurement policy to include/enhance quota for

alternate crops such as sesame for preferential purchase in drought prone areas.

For decision makers, it has been observed that it is very important for them to understand the relevance of the suggested adaptation options, in case the predictions made by modeling exercises do not happen or happen at a magnitude which was lesser or more than that predicted. Below is a Robustness Matrix, which presents the various adaptation options and how relevant each one of them is in case climate change does not take place, the impacts of climate change are less than that predicted, impacts are as they were predicted and impacts are more than they were predicted to be. The robustness of each one of the adaptation options has been derived from a combination of expert views, consultations and directly from ground observations.

Measures	Adaptation options	Climate change impacts less than predicted	Climate change impacts as predicted	Climate change impacts more than predicted	Action required	Relevant department
	Efficient irrigation	$\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{$	$\checkmark \checkmark \checkmark$	$\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{$	Large scale application of technology in farmers' fields	Agriculture, Irrigation
	Crop insurance	$\checkmark \checkmark \checkmark$	$\checkmark \checkmark \checkmark$	$\checkmark \checkmark \checkmark$	Wider dissemination	Finance, Agriculture
Short term measures	Establishment of "Farmers Adaptation Clubs/Clusters"	$\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{$	$\checkmark \checkmark \checkmark$	\checkmark \checkmark \checkmark	Mobilization of farming community	Agriculture
	Access to information	$\checkmark \checkmark \checkmark$	$\checkmark \checkmark \checkmark$	$\checkmark \checkmark \checkmark$	Conceptualize and plan for programs	Information Technology, Telecom, Information Broadcasting
	Knowledge exchange	$\checkmark \checkmark \checkmark$	$\checkmark \checkmark \checkmark$	$\checkmark \checkmark \checkmark$	Set up/support platforms	Information Technology, Telecom
	Change in sowing dates	$\checkmark \checkmark \checkmark$	$\checkmark \checkmark \checkmark$	$\checkmark \checkmark \checkmark$	Pilot level tests	Agriculture
	Research and development for determining crop mix	$\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{$	$\checkmark \checkmark \checkmark$	\checkmark	Plan and initiate field level experiments	Agriculture, Irrigation, Power
Long term measures	Establish meteorological network	\checkmark	$\checkmark \checkmark \checkmark$	$\checkmark \checkmark \checkmark$	Plan and implement network	Meteorology
	Institutional capacity building	$\checkmark \checkmark \checkmark$	$\checkmark \checkmark \checkmark$	$\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{$	Develop curriculum	Human Resources
	Procurement policies	$\checkmark \checkmark \checkmark$	$\checkmark \checkmark \checkmark$	$\checkmark \checkmark \checkmark$	Review existing policy	Planning

 $\sqrt{\sqrt{\sqrt{1}}} = robust:$ $\checkmark \checkmark$ =less robust; It is clear that the options are such that they do not result in allocation of resources into assets which become immobilized in event of climate change impacts not happening. That is these are options which in any case will be useful for the farming community. Though, the departments have been identified, it needs to be mentioned that the support of Civil Society Organizations, research institutions and private sector will be vital for large scale application of adaptation options.

1. SEONDHA BLOCK

Geography

Seondha is located at 26.16°N 78.78°E. It has an average elevation of 251 metres above sea level and is situated at the edge of Sindh River, with a geographical area of 926.19 sq. kms. It has 222 villages which are divided into 1545 wards. While moving towards the left bank of Sindh River, there is a scrap of sandstone hills that forms part of the Gwalior range. Seondha is situated on one such hill, having a long stretch of steep slope formed of sandstone and shale. The soil along the block is characterized by deep gullied ravines. These ravines are highly vulnerable to intense rainfalls, which often causes soil erosion in these gullies and results in the removal of the top soil.

Climate

Being a semi-arid region and largely rain-fed, rainfall is an important factor in considering vulnerabilities of Seondha block. This indicator is extremely crucial in determining extreme events in the block and affects agriculture here the most. The average rainfall for the block is 813.8 mm from the period from 1941-90 with 36.2 average annual rainy days. In Seondha, most of the water for irrigation comes through groundwater resources and rainfall plays a vital role in groundwater recharging as well. Furthermore, the district has also shown peculiar vulnerabilities to temperature variations, which is the main cause of high evapo-transpiration losses and heat stresses in the district.



Showing average rainfall pattern in the block (Source: District statistical handbook, 2011)

Demographics

As of 2011 India census, Seondha has a population of 253153 out of which 53.8 percent are males and 46.1 percent females with a below poverty level population of 5882 and a population density of 226 people per sq. km. A total of 81.7 percent of the population resides in rural areas, which implies that the majority of the population is dependent on climate sensitive sectors such as agricultural sector. The sex ratio is 857 females per thousand males, which is quite less than the state ratio, the population growth of the district being 23.2 percent. This increased growth in population and the decline in resource base adds to the susceptibility of people affected by the vulnerabilities of climate change, without having sufficient capacities to cope up with its impacts.



Comparison of male & female population in Seondha block

Literacy

Out of the total population, 152161 people are literate and hence the literacy rate for the block works out to be 60.10 percent, which is extremely low as compared to the state average. The male literacy rate works out to be 63.13 percent while the female literacy rate works out to be 36.86 percent, showing a large gap of 26 percent. Low literacy rate indicates the lower level of awareness in people, especially females, hence depicting lower adaptive capacities in the block. In order to increase adaptive capacities, the state needs to strengthen the education level, thus increasing the literacy rate.



Source: District statistical handbook, 2011

Agricultural dependence

In Seondha, 40666 people are dependent on agriculture for their livelihoods, out of which 19913 are small scale farmers who will be worst affected by climatic impacts on agriculture due to their weak socio-economic status. The gross irrigated area is 58933 hectares. The ratio of net sown area to the total geographical area is 78.25 percent while the intensity of cultivation is 127.78 percent. With rapid increase in intensity of cultivation over the years, especially due to establishment of new and extensive canal network, winter crops are now grown extensively in Seondha which has also led to increase in cultivation of crops. The net irrigated area has increased to 87 percent. The area of nonagricultural land is 7151 hectares, barren and uncultivable land being 2040 hectares and the total waste land area being 9191 hectares. In all, 33 percent of the net area in the block is covered with forest. According to Statistical Handbook 2011, number of machineries used for irrigation has increased to 19922, which shows the growing awareness amongst farmers who are gradually adopting improved mechanization in farming practices for ease and better crop productivity. It ensures enhanced adaptive capacity of farmers and increased farm returns in the long run.



Source: District statistical handbook, 2011

Water

Groundwater is the main source of water supply in the block. Out of the 222 villages in the block, 194 have access to drinking water through hand pumps. There are 13 villages in Seondha having piped tap water supply. Provisions could be taken to ensure safe access to drinking water in all the villages. Water management practices could be adopted to ensure nexus of water security. The major source for irrigation in fields is through the groundwater supply with the help of oil/diesel engines. Out of the total irrigated land, 35449 hectares are irrigated through canals; 6845 hectares are irrigated by tube wells, 16378 hectares of land by dug wells and 261 hectare by other sources. Due to high reliance on rainfall dependent ground water resources for irrigation, change in rainfall pattern will eventually affect the availability of water resource in the region.

Livestock

In a semi-arid region like Bundelkhand, livestock-rearing is a common livelihood option for local people. Seondha has an average of 4.79 animals per household, out of which the number of bullocks per household is 0.29, number of cows per household being 0.73, buffaloes being 1.72 and goats/sheep being 1.16. The average livestock population per hectare net sown area in the block is 1.47.

2. DATIA BLOCK

Geography

Datia block is located at 25.50°N 78.45°E. It has an average elevation of 210 metres above sea level and is the largest block of the district with a geographical area of 1378.17 sq. kms. It has 255 villages which are divided into 1973 wards. While the other two blocks falls in the plains, the South-Western parts of Datia block fall under Bundelkhand craton formed of old granites and gneisses of the Archean age and the elevation being the highest in the South-West part of the block.

Climate

Climate of this block is specifically dry in summer months of April and May. Since the temperature is highest in these months, mean humidity also drops down to significant levels. Highs and lows of changing temperatures, humidity and rainfall can be encountered very well which makes the cropping pattern in the blocks very different. What makes the climate of Datia arid is the large difference between day and night and summer and winters which also entails predominance of low levels of humidity in the region. The rainfall is much higher in Datia than in other blocks, which plays an important role in irrigation which is now supplemented by extensive canal systems. The average rainfall in the block is 876.3 mm from the period 1941-90, with 38.8 average annual rainy days.





Demographics

As of 2011 India census, Datia had a population of 373772 out of which 53.1 percent are male and 46.9 percent are females with a below poverty level population of 9693 and a population density of 228 people per sq. km. A total of 72.67 percent of the population resides in rural areas, which implies that majority of the population is dependent on the agricultural sector. The sex ratio is 883 females per thousand males and the population growth of the district is 23 percent. Comparatively, Datia is the most urbanized block in the district with an urbanization ratio of 26.31 percent which is considerably higher. Due to the expansion of agriculture and administration, it is now being counted as 'urban' on the census criteria.



Source: District statistical handbook, 2011

Literacy

Out of the total population, 232458 people are literate and hence literacy rate for the block works out to be 62.19 percent. Literacy in men works out to be 61.10 percent which is much higher than in women (only 38.9 percent), showing a large gap of 21 percent. Low literacy rate indicates the lower level of awareness in people, especially females, hence depicting lower adaptive capacities in the block. This shows that there is a large gap between block level and state literacy rates. In order to increase adaptive capacities, the state needs to strengthen the education level, thus increasing the literacy rate.



Source: District statistical handbook, 2011

Agricultural dependence

Agriculture in Datia basically relies upon the waters of Pahuj and Betwa. 49654 people are dependent on agriculture for their livelihoods, out of which 23003 are small-scale farmers who will be worst affected by climatic impacts on agriculture due to their weak socio-economic status. The gross irrigated area is 72185 hectares. The ratio of net sown area to total geographical area is 87.6 percent while the intensity of cultivation is 143.44 percent. With the rapid increase in the intensity of cultivation over the years , especially due to establishment of new and extensive canal network, there is an increase in cultivation of crops. The net sown area is 82437 hectares. The area of non-agricultural land sums up to 15,209 hectares, barren and uncultivable land is 9856 hectares and total wasteland is 25,065 hectares. Around 9.83 percent of the net area in the block is covered with forest. According to Statistical Handbook 2011, number of machineries used for irrigation has increased to 16638 which show te growing awareness amongst farmers who are gradually adopting improved mechanization in farming practices for ease and better crop productivity. It ensures enhanced adaptive capacity of

farmers in the long run and also promoses increased farm returns.



Source: District statistical handbook, 2011

Water

Hand pumps and wells are the main source of water supply in the block. Out of 255 villages in Datia, 240 have access to drinking water through hand pumps. There are five villages which have no source of drinking water at all. There are 30 villages in Datia block having piped tap water supply. There is sufficiently good water supply in rural areas of Datia. Provisions should be made to ensure safe access to drinking water in all the villages. The major source for irrigation in fields is through groundwater supply with the help of oil/diesel engines. Out of the total irrigated land, 40672 hectares are irrigated through canals, 3605 hectares are irrigated by tube wells, 27874 hectares of land by dug wells and 34 hectares by other sources. Due to high reliance on rainfall-dependent groundwater resources for irrigation, change in rainfall pattern will eventually affect the availability of water resources in the region.

Livestock

Number of animals in the block has grown much slower than the human population. Although Datia is rich in poultry, a decline in number of bullocks is observed, accompanied by an increase in mechanical implements since most of the agricultural operations are now carried out through mechanical power. In a semi-arid region like Bundelkhand, livestock rearing is a common livelihood option for local people. Datia has an average of 6.17 animals per household, out of which number of bullocks per household is 0.52, number of cows per household being 1.19, buffaloes being 1.01 and goats/sheep being 1.54. The average livestock population per hectare net sown area in the block is 2.57. This figure shows that Datia is rich in terms of livestock and seems to be less commercialized.

3. BHANDER

Geography

Bhander is located at 25.34°N 78.35°E. It has an average elevation of 244 metres above sea level and is situated at the edge of Sindh River, with a geographical area of 654.38 sq. kms. It has 140 villages which are divided into 1040 wards.

Climate

The average annual rainfall of the block is 888 mm and the average annual number of rainy days works out to be 36.6 days while calculating for the period 1941-90. The average temperature is the highest in May which makes it the driest month. Rainfall and temperature are the most important factors contributing to climate change. Both the factors can greatly impact crop production. Rainfall is also crucial in terms of water recharging and rain fed cultivated systems. Since irrigation in this area has been dependent on rains, rainfall plays a vital role in groundwater recharging of Bhander district.



Showing average rainfall pattern in the block (Source: District statistical handbook, 2011)

Demographics

As per 2011 India census, Bhander has a population of 159829 (males are 85376 and females are 74453) with a below poverty level population of 4505 and a population density of 226 people per sq. km. A total of 84.2 percent of the population resides in rural areas, which implies that

majority of population is dependent on the agricultural sector. The sex ratio is 872 females per thousand males, which is quite less than the state ratio, the population growth of the district being 17.9 percent while the urban ratio is calculated as 14.72 percent. This increased growth in population and the decline in resource base adds to the susceptibility of people affected by vulnerabilities of climate change without having sufficient capacities to cope with its impacts.



Source: District statistical handbook, 2011

Literacy

Out of the total population, 106826 people are literate and hence the literacy rate for the block works out to be 66.83 percent, which is extremely low compared to the state average but highest in all the other blocks of Datia. Male literacy rate in Bhander works out to be 61.6 percent while female literacy rate works out to be 38.3 percent, showing a large gap of 23.3 pecent. Low literacy rate indicates the lower level of awareness in people, especially females, hence depicting lower adaptive capacities in the block. In order to increase adaptive capacities, the state needs to strengthen the education, thus increasing the literacy rate.



Source: District statistical handbook, 2011

Agricultural dependence

Agriculture is the main occupation of people in Bhander and has improved massively because of the extended canal system. In all, 30619 people are dependent on agriculture for their livelihoods out of which 14824 are small scale farmers, who will be worst affected by climatic impacts on agriculture due to their weak socio-economic status. The gross irrigated area is 42250 hectares. The ratio of net sown area to the total geographical area is 75.5 percent. The net sown area is 55961 hectares. The total non- agricultural land is 3744 hectares, barren and uncultivable land being 3033 hectares and the area of total wasteland being 6777 hectares. Since the changing climate has the most adverse impact on forest degradation and distribution, absolutely no forest cover depicts great sensitivity of forest resources towards the changing climate. According to Statistical Handbook 2011, number of machineries used for irrigation has been increased to 3840 which, though less than those used in the other blocks, shows the growing awareness amongst farmers for using better equipments in order to increase their yields. It ensures enhanced adaptive capacity of the farmers.



Water

Hand pumps and wells are the main source of getting water in village. Out of 140 villages in the block, all of them have access to drinking water through hand pumps thus depicting good availability of water resource in the region. There are 14 villages in Bhander having piped tap water supply. Almost all the villages here rely on hand pumps and wells for drinking water, but maintenance of these remains

a major chore, especially for women. The major source for irrigation is groundwater supply, with the help of oil/diesel engines. Out of the total irrigated land, majority of land, which is 26046 hectares, gets irrigated through canals; 856 hectares is irrigated by tube wells, 14141 hectares of land by dug wells and 1207 hectare of land by other sources. Since the area is chiefly rain-fed, with a high reliance on ground water resources for irrigation, change in rainfall pattern will eventually affect the availability of water resources in the region.

Livestock

In a semi-arid region like Bundelkhand, livestock-rearing is a common livelihood option for local people. Bhander has an average of 5.24 animals per household, out of which the number of bullocks per household is 0.39, number of cows per household being 1.00, buffaloes being 1.63 and goats and sheep being 1.39. The average livestock population per hectare of net sown area in the block is 2.70. The figures significantly show that the block is rich in livestock, which is an important source of livelihood here.

ANNEX II: VILLAGE VULNERABILITY PROFILES

1. VILLAGE: NAUNER

Panchayat: Nauner

Village Profile

It is a medium-sized village with an average distance of about 21 km from the district headquarters and the Datia block. Its great distance from the Datia block often creates a problem for village communities who have to traverse long distances to buy commodities, gather information and avail benefits of different government schemes. The total geographical area of Nauner village is about 1242.83 ha, of which 837.67 ha is agricultural land, 333.56 ha is uncultivable wasteland and 71.6 ha is the administrative land.

Geologically, Nauner village has three types of soil profiles: laterite soil, black soil and red soil. Around 13 percent of the agricultural land consists of red soil, which is poor in nutrient quality and is limited for certain crop types such as maize.

Demographics

The total population of Nauner village is 3982, 40 percent of which comprises female population and 60 percent male population. This indicates the imbalance in sex ratio and highlights the sensitivities of female gender in the village. Females in the village are engaged in farming activities such as sowing, thrashing, harvesting, sorting and storage. Their involvement in decision-making processes is however limited and highlights that they are still restricted to manual labour. Out of the total population of the village, 30.63 percent belong to Scheduled Castes. This population occupies a low status in the social dynamics of the village. Around 44 percent families in the village are below poverty line (BPL). Owing to the low resource base and limited income, BPL section of the village has limited resources for agriculture and shows poor adoption of new and advanced adaptation strategies.

Livelihood

Beedi-making industry is also a means of livelihood for certain communities in the village. Over the years, livestock-rearing practices have reduced in the villages due to labour requirement and economic weakness of several farmers. People in the village face problems due to lack of information sources. *Gram Sewaks* are also not always available for dissemination of agriculture-related schemes, which creates a knowledge gap within the farmers.

Agriculture

A total of 80 percent population in the village depends on agricultural activities for their livelihoods. Agriculture sector is directly impacted by the climatic vulnerabilities and is highly sensitive to the weather fluctuations that often occur during summer and winter months in the region. The village consists of around 10 landless families comprising landless farmers as primary bread earners. Such families do not have any fixed source of income and often migrate when weather conditions disrupt the economic activities in the region. Out of the 837.67 ha agricultural land in Nauner, 62.52 percent land is un-irrigated and is dependent on unpredictable rains for meeting the water requirements of agriculture. This factor puts Nauner at a high risk of climate vulnerability. Kharif crops grown in the village include wheat, ground nut, soyabean and rice (in some patches) and rabi crops comprise wheat, gram, mustard and black gram (urad). During drought conditions, farmers usually shift to less water-intensive crops such as barley and millet. Farmers primarily depend upon chemical fertilizers and do not make much use of organic fertilizers. Primary surveys of farmers revealed that according to them, organic fertilizers are likely to reduce farm productivity and are therefore neglected. Furthermore, farmers are used to raising single crops at a time and the practice of multiple-cropping is still a rare phenomenon in the village.

Socio-economic

Out of the total population of Nauner, around 36 percent people are illiterate. This shows that poverty in the village is deeply interlinked with high levels of illiteracy and lack of information. This situation further diminishes the adaptive capacities of communities, who face problems due to lack of information, low levels of awareness about welfare schemes and poor capacities to cope with high risk situations.

Water

A large number of farmers practice open irrigation through diesel-powered motors and have still not adopted microirrigation techniques. Wells present in the villages are used for irrigating agricultural fields only for restricted times of the year. Around 75 percent of wells in the village offer water for six months in a year and 25 percent offer water for ten months in a year. During peak summer months, water in these wells reduces by ten feet. These months are waterscarce months and pose great difficulties for the farmers in meeting their water needs. In all, 17 handpumps act as a major source of drinking water in the village. Ten of these handpumps offer water for nine months in a year. Peak summer months often pose difficulties for the farmers and minimize the drinking water supply as well.

2. VILLAGE: KAMHER

Panchayat: Pathari

Village Profile

Kamher is a small sized village in Datia block and has a total geographical area of around 445.45 ha. The village is at a distance of around 22km from Datia district and block. The village is at a distance of about three kilometres from Pathari panchayat. In all, 30 percent of the village land belongs to the forest department. Communities in the village often find their way through this area to meet their household energy needs and extract fuelwood from forests on several occasions.

Demographics

The total population of Kamher is 684, 43percent of which is female population. Out of the total 88 families in the village, 53 percent of the families are below poverty line. These families include landless families and poor agricultural families. Some of these families have limited agricultural lands which merely meet their financial needs and further increase their risks during adverse weather conditions. Half of the village population comprises scheduled castes. SC population of the village has an average of 0.63 ha of land, which highlights their poor economic status and low adaptive capacities.

Livelihood

Being an agrarian economy, livelihoods of communities in Kamher are largely dependent on agriculture. In addition to agriculture, livestock-rearing is also practiced in the village. Cows, buffaloes, goats and poultry are commonly reared in the village and used for raising income. This is a step forward taken by communities of Kamher village, which gives them an edge when farm returns are compromised due to extreme weather conditions.

Agriculture

Out of the total available land in the village, 289.26 ha land is available for farming, 56 percent of which is irrigated. This shows that farmers in the village are progressive and are availing different irrigation methods to reduce their dependence on monsoon rains. Farmers in the village raise both Kharif and Rabi crops in the village. Out of the total agricultural land, farmers grow Kharif crops such as maize and groundnut in 146.99 ha of land. Rabi crops such as wheat and mustard are grown in around 164 ha of land. Gram, groundnut and wheat are the major crops in the area and have largely attracted farmers in the village due to their cash value in the market. Thus, both the cropping seasons (Rabi and Kharif) are important for the village. Wheat and groundnut crops stand out with the highest production, amongst all other crop varieties.

Farming communities in the village are still at high levels of climatic risks as mono-cropping is still practiced in around 93 percent of farm lands. This shows that extreme conditions of temperature and rainfall may adversely affect crops in the village where other crops are not available as alternative reserves. The farming decisions of communities in the village have however dwindled in the recent past, owing to unpredictable rainfall patterns and variable weather conditions. Since there is an increase in the rainfall percentage since last two years, villagers have decided to grow water-intensive crops like rice this year so that there is no loss due to climate change.

Results from soil testing of Kamher reveal that slightly basic pH of the soil affects the seed germination in the village land, which increases the seed utilization by farmers. Soil in the village consists mainly of residual red and black cotton

soil of varying degrees of quality and has less moisture. Despite the low moisture content of the soil, majority of farmers do not practice composting and green manuring. Composting activity is considered as an add-on burden and is often neglected by the farmers in the village. This shows that farmers need a behavioural change for adopting lowcost simple solutions which can help them increase the resource content of their soils.

Water

There are 36 wells and two water ponds in Kamher. Wells in the village meet the water needs of the communities for six months in a year. These structures not only contribute in irrigating the agricultural fields, but also help the people of Kamher village in conserving rainwater. Farming communities of the village were earlier dependent on seasonal rains and traditional methods for irrigating their agricultural fields but now, with the advent of improved technologies, government initiatives and schemes, farmers have been provided with engines for irrigation purposes and tractors for supplying water to the fields.

Community awareness on drinking water quality is also high in the region. In recent years, communities in Kamher village are testing the drinking water quality on a regular basis. As a result, quality of drinking water in the village has increased subsequently. Civil Society Organizations in the region have played an important role in building community awareness on drinking water quality and has also helped in increasing the penetration of good adaptation practices by changing the mindset of local people.

Socio-economic

Even though the village is electrified, grid connections have not reached the agricultural fields. Yet, some farmers have managed to find illegal ways to electrify their motors in some neighbouring fields. Intermittent supply of electricity in the village area, however, forces the communities to rely on diesel for running water engines. This is an additional input cost and a heavy economic burden on small and marginal farmers. With all these technologies, groundwater still stands as a major source of irrigation for fields. Primary health care centres are present at a distance of around two kilometres in Nauner village. For meeting drinking water facilities, hand pumps and tap water services are available in the village. Under the Nal Jal Yojna, tap water availability to the communities has helped to reduce water woes of communities to a large extent.

3. VILLAGE: CHAKRAM SAGAR

Panchayat: Nichroli

Village Profile

Total geographical area of the village is around 104 hectares. This is the smallest village in the study area and carries peculiar vulnerabilities specific to it. A small percentage of this geographical area (19.32%) belongs to forest area. Although, a large population of this village depends on agriculture for livelihoods, only 24 percent of the total geographical area is used for agriculture purposes. This highlights that despite being the largest livelihood provider to the village, the agriculture land available to farmers is quite less quantitatively. This shows that a large population of village belongs to landless farmers and agricultural labourers. It is at a distance of around ten kilometres from the district and block.

Demographics

The total population of Chakram Sagar is around 680. Entire population of this village belongs to backward classes. Out of the total families in the village, 79 percent live below poverty line (BPL). This village has the highest BPL population among all the villages of the study area. This shows that poverty- ridden challenges are deeply interspersed in this village and hinder adaptive capacities of local communities. Out of the total agriculture families in Chakram Sagar, 30 percent families consist of small and marginal farmers.

Socio-economic

Around 70 percent of the village population is illiterate and Chakram Sagar has the highest ratio of illiterate population in the study area. Overall, the adaptive capacity of Chakram Sagar is relatively poor when compared to the other seven villages in the study area.

Livelihood

Despite of its vulnerabilities related to agriculture sector, Chakram Sagar shows a good graph record of communities practicing alternative livelihoods. Livestock-rearing for dairy products and fisheries is commonly practiced by several villagers. Besides animal and fish-rearing activities, several people are also associated with Self Help Groups (SHGs) for candle-making activities. Such initiatives of Civil Society Organizations (CSOs) have not only helped in providing livelihood opportunities to communities, but also empowered women and have reduced their dependency on male members of their families. This factor has played an important role in increasing the adaptive capacities of communities in Chakram Sagar and has reduced their vulnerabilities (despite the high sensitivity of agriculture sector). Additionally, a large number of farmers are also engaged in manual labour and often travel to Datia district for this purpose. Manual labour is yet another alternative livelihood for a lot of landless farmers in the village who avail its opportunities when extreme weather conditions diminishes their work in the agriculture sector.

Forest

The village is surrounded by patches of forest area which is easily accessed by communities for livestock grazing purposes. This factor puts the forest resources available to the communities at risk. If not used efficiently, it can degrade the resources available to farmers and affect the micro climate in their region.

Agriculture

In all.25percent of families in the village belong to landless farmers; these farmers do not have a fixed income source and usually depend on the dwindling natural resources for meeting their basic amenities. More than 80 percent of the agricultural land in Chakram Sagar is irrigated, which largely belongs to medium and few large scale farmers. Both Kharif and Rabi crops are raised by farmers in the village. Kharif crops in the village include sesame, maize, groundnut etc. and rabi crops include wheat, gram, mustard etc. According to the respondents, rabi crop offers better productivity to the farmers. During field assessments of the village, it was observed that the farmers have very low awareness levels and are not yet aware of different adaptation strategies available for agriculture. They have been raising crops in age old definitive patterns do not have sufficient information on drought-resistant seed varieties, organic fertilizers and modern irrigation techniques. Both chemical and organic fertilizers are used in farming. However, farmers in the region prefer using chemical fertilizers due to inadequate information and myths associated with organic fertilizers. The village severely suffered from droughts that affected the region few years back. This created a water crisis situation in the area and communities were forced to migrate out of their villages.

Water

MGNREGS has played an important role in meeting the irrigation needs of communities in the village. Under MGNREGS, several wells that were constructed on farms have reduced the burden on the farmers. There are around 25 wells in the village. Other sources of water such as ponds and rainwater harvesting structures are not present. Wells in the village meet the water needs of the communities for six months in a year. The village has a good number of water resources and hence, availability of water from hand pumps and wells in not a major problem. However, despite the good water supply, salty drinking water is a major problem for the residents of the village.

4. VILLAGE: CHOPRA

Panchayat: Bajni

Village Profile

It is a medium-sized village with a geographical area of about 1252.4 ha .It is at a distance of merely seven km from the district and is still deprived of development-related to agriculture, land development, livestock and livelihoods (to some extent). Thirty percent of village land comprises forest areas and belongs to the forest department. Due to varying boundaries, this is a major cause of administrative issues for communities of Chopra village who are often deprived of any developmental work in available lands.

Demographics

The total population of Chopra village is about 740, with 48 percent populace comprising females. A large population of the village (68%) belongs to backward classes. These

families of Chopra village are not only socio-economically weak but are also backward with respect to development of climate change resilience. Out of the total population, 54 percent resides below the poverty line. Moreover, 33 percent of the population belongs to Scheduled Castes. These are the weaker sections of society and are largely poverty-ridden.

Livelihood

Besides the agriculture sector, communities of Chopra village have chosen a diverse range of livelihood options. These alternative options have helped the communities during the drought conditions and hence, less migration has been witnessed by the village. This shows that communities in the village are trying to increase their resilience and have proven that they have great potential in terms of risk-coping capability in adverse conditions. These include brick-making activities, livestock-rearing for dairy production and labour works. Communities of the village have also shown low participatory behaviour in the study. This is particularly so because low levels of awareness, and social responsibility and poor maintenance of some water conservation.

Socio-economic

Around 48 percent of the village population is illiterate and is often deprived of benefits enjoyed by any literate population. This puts them at an additional risk in terms of socio-economic growth and climate change resilience. The status of rural electrification in Chopra village is good and new schemes have improved the situation of electricity availability in the village. The agricultural fields are not yet electrified and farmers use engines to irrigate fields.

The status of information on agriculture and other schemes is good in the village. *Gram Sewaks* come from time to time and provide villagers with the latest information. These extension officers also provide new variety seeds, which have led to an increase in crop production, thereby improving the economic statusof the village in the recent past.

Agriculture

The situation of agriculture sector is quite bleak in the

village. Out of the total land area of the village, only 13 percent land is utilized for farming practices; most of which witnesses mono-cropping. This shows that farmers depending on agriculture for livelihoods face a greater threat of climate change. Mono-cropping not only reduces their farm returns but also makes them suffer from direct losses during sudden variation in weather conditions. According to discussions with communities in the village, farmers are already facing the brunt of climatic change and variability. Over the last few years, excessive rainfall in a very short period of time has intensified the problems of soil erosion. This often leads to erosion of soil from farming fields and causes heavy loss of nutrient-rich top soil. Common Kharif crops include maize and groundnut, whereas rabi crops include mustard and wheat.

Results from soil testing of Chopra reveal that the slightly basic pH of the soil affects seed germination positively in the village land, which increases the seed utilization by farmers. The village is located in a high slope area, where soil erosion with run-off water has resulted in loss of nutrient-rich top soil of farms and has decreased the farm productivity in the region. Certain farmers in the village also face problems due to accumulation of water, which increases the alkalinity of soils.

Communities in the village have shown good acceptance for organic farming. Low input adaptation options such as composting, vermi-composting and *gobar gas* are widely accepted by communities of Chopra village. There is an increased awareness in the famers about the usage and advantages of using organic fertilizers in fields for which some of the farmers have started using composting. There are around 8-10 composts in the village and some gobar gas is also produced.

Farmers in the village recently witnessed huge losses due to excessive rainfalls in the region this year. As a result of sudden fluctuations in the weather, groundnut crops in the village got destroyed and led to a heavy loss in production.

Forest

Communities of Chopra were observed to be good at maintaining their natural resource base. Forest reserves have been well conserved by communities and

encroachment activities are not common. This shows that with the efforts of Forest Department and resource efficient ways of communities, valuable forest resources can be put at good use when adverse climatic situations increase the risks of communities.

Water

Wells in the village meet the water needs of the communities for six months in a year. Water run-off is a critical issue in the village and often restricts the communities in rainwater harvesting. The topographic location of the village is not very suitable for water harvesting and is the cause of water woes for the communities. Furthermore, restricted forest land of forest department, interspersed with village land, restricts the communities of Chopra village to construct any waterharvesting structure. This issue of administration land further restricts the communities. As a result, communities in the village face water problems, particularly in the summer months. Such problems highlight that rising temperatures in the future are likely to increase the difficulties of communities in coming years. Furthermore, two out of six available hand pumps are not functional, thus increasing the adversities of communities in terms of drinking water availability.

5. VILLAGE: NICHROULI

Panchayat: Nichrouli

Village Profile

It is a medium-sized small village with a total geographical area of about 680 ha. It is at a distance of about ten km from the district which gives it an access to basic facilities such as health centres, banks etc. A very small portion (4.7%) of the total geographical area is forest area. In all, six percent area of land in the village is a wasteland and is currently not being put to any use.

Demographics

The total population of Nichrouli village is around 1768. Out of the total 445 families, 58 percent families are below poverty line. These families live with limited resources and have restricted access to basic needs. Owing to low resource base and limited income, BPL section of the village has limited resources for agriculture and shows poor adoption of new and advanced adaptation strategies.

Literacy

A total of 54.24 percent of the village population is illiterate, with poor levels of information. Communities in Nichrouli (having particularly illiterate population) do short-term planning for agriculture and water management. During discussions with the responds, it was observed that due to low awareness and information gaps, long term planning is not envisioned by the communities.

Livelihood

Besides agriculture, livestock-rearing is being practiced by communities to some extent. Livestock- rearing was a life saver for communities during 2004-2009 droughts when many farmers depended on livestock-rearing as a sustainable livelihood. Such alternative options helped communities to bear the risks of climate change and very few families of the village migrated to cities.

Agriculture

Out of the total geographical area of the village, 128 ha is earmarked for farming in agricultural fields. The village consist a large population (59%) of small and medium farmers. Around 11% population in the village belongs to landless farmers. The village consists of around 42 landless families consisting of landless farmers as primary bread earners. Such families do not have fixed source of income and often migrate when weather conditions disrupts the economic activities in the region. Agriculture is the main source of livelihood for people residing in this village and majorly grown crops are beans, maize, wheat, rice and peas. This shows that besides cash crops, communities in the village also practice vegetable farming which not only gives them good returns in local market but also provides them alternate source of income. Farmers have shifted to modern farming and irrigation techniques. Tractors are now commonly used by farmers who are shifting to modern and improved ways of farming. Modern technologies used in farming not only save time and efforts of farmers but also help them to use agricultural adaptation practices such as ridge and furrow sowing. These practices not only help in soil and water conservation, but have also proved beneficial

in low rainfall situations. The topographic location has benefitted Nichrouli village and the soil quality is good for agriculture.

Water

Moving away from the traditional means of irrigation, farmers are using diesel pumps for supplying water to the fields and tractors are being used for irrigation purposes. There are wells in the village constructed under the MGNREGA scheme. Schemes such as MGNREGA have proven to be beneficial for several people of the village who now have improved sources of irrigation for their fields. Farming communities of the village were earlier dependent on seasonal rains and traditional methods for irrigating their agricultural fields but now, with the advent of technologies, government initiatives and schemes, farmers have been provided with engines for irrigation purposes and tractors for supplying water to the fields. Even though the village is electrified, grid connections have not reached the fields. Farmers use diesel-powered pumps to irrigate their fields.

6. VILLAGE: PATHARI

Panchyat: Pathari

Village Profile

It is a small sized village with a total geographical area of about 368 ha. This village is at a distance of around 22 km from the district.

Demographics

There are around 221 families in the village, 216 of which are directly dependent on climate-sensitive agriculture for livelihood. Out of the total number of agricultural families, 37 percent belong to small and marginal farmers. This is a relatively developed village of the study area, with farmers having larger land holding size. Less number of small and marginal farmers is a good indicator. This is because farmers with bigger land holding size have more number of resources and better capacities to cope up with the risks of climate change. In all, 5 8percent of the village population is below the poverty line. Out of the total population in the village, 43 percent is female population.

Livelihood

Besides household chores, women in the village are also engaged in livelihood generation activities. Candle, *donapattal* and scented sticks are made by several women Self Help Groups (SHGs) in the village. Such initiatives of civil societies have helped empower women who now shoulder men in sharing household responsibilities. In extreme weather conditions, when erratic rainfalls can disturb climate sensitive sectors such as agriculture, such small yet useful alternative livelihoods have proved to help communities cope with climate change and are ensured steady sources of income. Agriculture and labour works are a major source of livelihood in the village.

Forest

Effective implantation of Government schemes and support of communities has increased the forest cover in the region. Encroachment activities are rare and communities pay good attention to conserve forest reserves available to them.

Agriculture

Agriculture is practiced in 72 percent of land in the village. This shows that farmers have largely made use of the land available to them and extensively practiced farming. Out of the total agriculture land, Kharif crops are raised in 107.6 ha. and Rabi crops are raised in 214.31 ha. land. Kharif crops grown in the village are rice, barley, maize, lentils and groundnut. Rabi crops grown in the village are wheat, gram, mustard etc. Monocropping is still more prevalent in the village and shows higher statistical data when compared to multicropping. Monocropping is practiced in 150.07 has land in the village while multi-cropping is practiced in 83.34 ha of land. The village is located in a high slope area, where soil erosion with run-off water has resulted in loss of nutrient rich top soil of farms and has decreased farm productivity in the region.

Water

Out of the total agriculture land available, 92% (216. 17 ha) of land is irrigated and shows that farmers of Pathari have relatively less dependency on life giving rains. This is a positive indicator for the village and plays an important role in raising the adaptive capacities of communities. There are

96 wells in the village which have a fair share in facilitating irrigation in the village. Lack of maintenance and poor planning in the village is increasingly causing loss of rain water (through run-off), which could otherwise have been conserved through rain water harvesting. Hand pumps and taps in the village fulfill the drinking water needs of the communities all year round. Communities in the village have constructed weir embankment as an adaptation solution to retain soil moisture and conserve rain water.

This village is a good example of effective implementation of sustainable rural development schemes. Several initiatives such as Kapil Dhara Yojna, Nirmal Vatika and Jal Sangrakshan Yojna are some of the initiatives which have commenced plantation and water management activities in the village.

7. VILLAGE: GOVIND NAGAR

Panchayat: Bajni

Village Profile

The total geographic area of Govind Nagar is around 650 ha.

Demographics

The total population of village is 390. All the 97 families of the village belong to Scheduled Castes and 96 percent of the population is below poverty line (BPL). A large population of the village has migrated to the cities. The ones remaining behind are backward Scheduled Castes that are mostly surviving below the poverty line. These factors show that vulnerability of communities in the village is quite high because of social backwardness and low income, which increases their sensitivities.

Literacy

The village has a high literacy rate of 65%, comprising of a large number of female population. Female population in the village particularly witnesses high rates of drop out from schools due to increasing household responsibilities and work burdens of collecting resources for family. Such burdens intensify during peak summer months of the year. This is not only an indicator of lower adaptive capacities but is also a factor responsible for increasing the sensitivities to climate change.

Agriculture

The situation of agriculture sector is quite weak in the village. Out of the total land area of Govind Nagar village, only 14.5 percent land is utilized for farming practices; most of which witnesses mono-cropping. Mono-cropping is practiced in 83 percent of land used for farming. Out of the total farmers in Govind Nagar, ten percent are landless. Commonly grown Kharif crops in the village are rice, barley, groundnut and maize and Rabi crops are wheat, gram and mustard. Results from soil testing of Govind Nagar reveal that slightly basic pH of soil affects seed germination in the village land, which increases the seed utilization by farmers. In all, 91 percent families in the village are dependent on agriculture for livelihoods. Out of this percentage, 56 percent of farmers are small and marginal farmers. Low human development indices of the village explain the high number of poor and marginal farmers in the village.

Besides agriculture, farmers in the village are also practicing kitchen gardens and water them with household level waste water. This not only helps them to utilize water from kitchen etc. but also helps them to grow some vegetables and fruits for meeting the household nutritional needs.

Water

There are around 130 wells in the village. Respondents in the village emphasized that erratic and low levels of rainfall is reducing the groundwater levels and water availability of water from wells and hand pumps has reduced significantly. These factors highlight that farmers understand that erratic rainfall patterns have influenced the groundwater levels, but they still fail to understand that excessive exploitation of groundwater through diesel-powered engines and bore wells is also a cause of their water miseries. This highlights low awareness and understanding of communities towards exploitative ways which also contributes to higher climate change vulnerabilities. The village is located in a high slope area, where soil erosion with runoff water has resulted in loss of nutrient rich top-soil of farms and has decreased farm productivity in the region. Farmers in the village complained of decreasing groundwater levels in the village. They said that despite the watershed works in their village, water levels have still not increased to a great extent. This indicates a serious problem of depleting ground water levels in the village and highlights that environmental

assessments are required to check the water-related problems.

Socio-economic

Despite their backward and weak socio-economic status, communities of Govind Nagar have been progressive in terms of new and modern technologies. To get rid of problems related to intermittent electricity supply and offshooting diesel prices, farmers have found alternate measures, thus cutting down their expenses. Farmers in Govind Nagar have shifted to renewable sources of energy for solving the water crisis and meeting their irrigation needs. Realizing the solar potential in the semi-arid region of Bundelkhand, farmers have employed solar panels in the village. The energy generated from these panels is used for running electric motors and supplying water to the fields. This indicates that farmers are becoming increasingly aware of the importance of using efficient sources of energy.

8. VILLAGER: SALAYAPAMAR

Village Profile

The total geographical area of Salaya Pamar is about 1515.18 ha. It is at a distance of about 12 km. from the district headquarters, which increases the dependency of communities who have to traverse such a long distance (to district headquarters) for every small requirement.

Socio-Economic

The total population of Salaya Pamar is 1387, 44.7 percent of which is illiterate. In all, 49 percent of the village population is subsisting below the poverty line. Problems faced by communities particularly increase when they have to make several trips to the district headquarters for availing the schemes. This issue was particularly highlighted by several people of Salaya Pamar who find it difficult to go through the 'red tape' for availing Government Schemes.

Livelihood

Common livelihoods practices in Salaya Pamar are farming, agriculture labour works and livestock rearing. Around 50 families of Salaya Pamar also practice livestock-rearing for earning livelihoods and generating alternative incomes. A very small percentage (5.77 percent) of farming families in the village are landless. This is a good indicator for reducing the vulnerability of the village. Discussions with respondents highlighted that communities who did not possess land shifted to alternative means of livelihoods and reduced their dependency on climate-induced extremities on agriculture sector.

Forest

Out of the total geographical land available in the village, forest land is merely 2.4 percent. This is the smallest percentage of forest cover in the study area and indicates that communities of Salaya Pamar have low levels of natural resource base available. Based on the discussions with respondents, it was observed that the low percentage of forest cover affects micro-climate in their area and puts them at additional pressure of heat stresses during the summer months.

Agriculture

Out of the total agricultural area available for farming in Salaya Pamar, Kharif cropping is done in 600.92 ha and Rabi crops are raised in 212.72 ha. Single type of crop is raised by farmers in around 78 percent (526 ha) agricultural land and two crops are raised in the rest 144.77 ha of agricultural land. Results from soil-testing of Salaya Pamar reveal that slightly basic pH of the soil affects seed germination in the village land which increases the seed utilization by farmers. The village is located in a high slope area, where soil erosion with runoff water has resulted in loss of nutrient-rich top soil of farms and has decreased farm productivity in the region. As compared to other villages of study area, Salaya Pamar has a very low percentage of wasteland. This is indicative of the fact that small land management practices adopted by village communities have helped to conserve the natural resource base and land reclamation practices prevented the increase of wasteland in the area.

To increase their incomes and reduce the dependency on limited crops, farmers in the region have started vegetable farming in some areas of their lands. They are now waiting to reap the benefits of increased incomes and would like to expand this in the coming years. Furthermore, simple adaptation options such as land leveling have been adopted in agricultural lands. This has largely helped farmers and has

improved the yields by overcoming water loss and clogging at some places. Inspite of largely using chemical fertilizers, farmers are now opening up to low input and soil conservation methods of organic farming. There are six vermi-composting and four composting units in the village with the help of which villagers use organic composts to retain soil nutrients and moisture of their agricultural lands.

Water

There are around 172 wells, one pond and eight hand pumps in the village. Besides relying on irrigation sources such as wells and ponds, farmers of Salaya Pamar are adopting efficient water management irrigation technologies such as drip-irrigation. In addition to dripirrigation, farmers largely rely on diesel powered engines to irrigate their fields. Drainage structures for sewers and soak-pit structures around hand pumps have reduced the water-clogging problems of communities. Respondents emphasized that such structures have improved the situation of water hygiene in the region and water-related health issues have also reduced drastically.

Certain policies such as MGNREGS have shown promising results in Salaya Pamar. Weir embankments and watersheds works initiated in the village under MGNREGS have greatly increased farm production in the region and has helped to conserve the water resource base available to them.

Introduction

The year 2014 so far has been particularly crucial for Indian farmers and country's agriculture sector. The meteorological department has in advance predicted information about the delayed and poor monsoons for the country this year. The India Meteorological Department (IMD) has forecast a 60 per cent probability of El Nino this year along with a below-normal monsoon projection. A strong El Nino can cause drought-like conditions¹⁸. Since, weak monsoons brought about as an impact of El Nino is likely to affect the agriculture productivity (particularly in drought prone regions of the country), it is crucial that important stakeholders of the country such as farmers, government officials, decision makers, scientists and academic experts prepare to chalk down drought preparedness and drought management strategies for regions that will be worst affected by weak and delayed monsoons.

Bundelkhand: a semi-arid drought prone region in Central India is likely to be drastically hit by the impacts of El Nino and weak monsoons this year and will subsequently affect the economy of this region. Bundelkhand has already suffered drought period (2003-2009) which impacted 16 million people; 40% of the region's farms were not sown, bringing down the food production by an average of 230%, while 70% of ponds and tanks dried up¹⁹. The continuous drought years in Bundelkhand had severely affected the agricultural productivity and subsequently weakened the livelihood systems. Moving on from drought period of 2003-2009, the predicted delayed and weak monsoons in 2014 is likely hamper the agriculture productivity of the semi-arid and socio-economically challenged region of Bundelkhand. The people with smaller land holdings will become prone to the high input costs in agriculture, lower profitability per unit of land and higher risks of crop failures.

All these issues make the situation extremely important for agriculture and natural resource management scientists

working in the region. The predicted situation for weak monsoons in 2014 calls for brainstorming strategies from the scientific community, particularly for drought prone and socio-economically fragile region of Bundelkhand.

About The Round Table Scientific Exchange Workshop

In order to help the farming communities of Bundelkhand manage drought like conditions in semi-arid region, scientific experts and civil society experts working in drought prone region of semi-arid region of Bundelkhand region participated in the round table scientific exchange workshop, "Drought Proofing Strategy for Semi-Arid Region of Bundelkhand" on 4th July, 2014 in National Research Centre for Agroforestry. The scientific exchange workshop was organised by Development Alternatives in association with India Water Partnership and Global Water Partnership under the Water and Climate Resilience Programme. Keeping the vision of GWP's Water and Climate Resilience Programme (WACREP) in mind, the aim of this workshop was to identify strategies for drought proofing semi-arid regions and ensuring food, water and livelihood security of vulnerable communities.



Participants from various scientific institutions in the workshop

18 http://businesstoday.intoday.in/story/how-el-nino-impacts-monsoon-rainfall-in-india/1/205679.html

¹⁹ http://www.wateraid.org/documents/perspectivebundelkhand.pdf

Scientific experts from esteemed research institutions such as National Research Centre for Agroforestry (NRCAF), Indian Grassland and Fodder Research Institute, National Institute of Disaster Management, KrishiVigyan Kendra, Bundelkhand University, Central Soil Central Soil & Water Conservation Research & Training Institute and Development Alternatives participated in the workshop to provide expertise for drought preparedness and sharing experiences for drought mitigation in the region. Scientists participating in the workshop with vast knowledge on the subject and experience from field helped us to develop a package of robust adaptation options for drought mitigation in the region.

Objectives of the workshop were as follows:

- 1. To identify crucial factors and indicators that increase vulnerability of Bundelkhand to drought conditions
- To identify adaptation and disaster reduction strategies for drought proofing semi-arid region of Bundelkhand
- 3. To exchange knowledge on best practices and models successful in helping semi-arid regions to mitigate the impacts of climate change

WELCOME ADDRESS- Mr. S.N. Pandey, Programme Director, Development Alternatives

Mr. ShailendraNath Pandey, Programme Director, Development Alternatives welcomed the participants to the scientific exchange workshop which was timely organised on 4th July, 2014. He said that the workshop for drought preparedness was crucial at this time because monsoons for 2014 in Bundelkhand region are witnessing a 30-35% decrease. He also said that the knowledge exchange workshop was an excellent opportunity for professionals working for drought mitigation and disaster management field to come together, develop an understanding and share their scientific experiences to mitigate drought in Bundelkhand. He further welcomed the participants for their participation in the event which has the potential to carve out robust strategies which can be sued to influence policy and simultaneously connect good demonstration models and practices for engaging in practice to policy connect.



Mr. S.N. Pandey welcoming the participants in his welcome address

OPENING REMARKS- Dr. S.K. Dhyani, Director, NRCAF, Jhansi

Dr. S.K. Dhyani, Director, NRCAF, Jhansi addressed the opening remarks and stated that today the situation of about 85% of the country today is worrysome because of the delayed monsoons. He said that at national, state and district level actions programmes are being designed for dealing with country's drought like situation and are needed to be implemented successfully. Moving on to the impacts of drought on Bundelkhand, he said that in the 18thcentury and before, Bundelkhand's situation was not very fragile due to rich forest cover. However, the situation has now changed due to manmade activities and anthropogenic influences. He also elaborated that the rainfall here is about 800 mm which is not very low, but the topography of Bundelkhand is as challenge, as it prevents water management, storage and groundwater recharge. Furthermore, extreme events increasing with climate change are affecting the entire world and not just this region; challenges of climate change in Bundelkhand are also increasing with time. As a result, even with varied set of government schemes there isn't much change that is happening on the ground.

Further elaborating on the challenges faced in Bundelkhand, he said that socio economic conditions are also influence the impacts of any research and development. Pointing down the challenges with



Dr. Dhyani stating down the key strategies for drought preparedness in Bundelkhand region

agriculture development, he identified the following factors:

- Most farmers are marginal (around 80%)
- Traditional systems for water harvesting are not being maintained in today's time
- Irrigation techniques are traditional and not very effective
- The traditional agricultural/irrigational techniques aren't very well maintained as well
- Technological advancements are not reaching the ground
- Reduced availability of fodder
- Increased frequency of droughts
- Outreach of technology to grassroots and last mile

After stating the environmental, social, economic, institutional challenges in Bundelkhand region, he described some strategies which could help Bundelkhand region overcome the challenges faced in drought like situations. Some of the strategies stated by him are as follows:

- Promotion of surface water augmentation and mechanisms for making it cost effective
- NGO's influence to bring behavior change for efficient use of water after it is made available for agriculture sector, by promoting water efficient crops and resource efficient irrigation techniques
- Convergence of all stakeholders and technologies for

promotion of sustainable agriculture. For. ex. National Agroforestry Policy is a result of efficient coordination between scientists and planners

- Promotion of organic farming
- Promotion of crop diversification through different agro-horticulture models which include horticulture crops like amla, bel etc. Horticulture mission should be used for its promotion in Bundelkhand
- Promotion of afforestation for areas outside agriculture land
- Alternate livelihood options to address landless farmers and small farmers. Some options are gum/raisin, lac plantation, sericulture etc.
- Processing of value addition through research and finding markets for the same
- Promotion of successful pilot models from within the region

SESSION 1: Climate Change Vulnerability & Adaptation Assessment of Bundelkhand by Mr. Anand Kumar, Associate Director, Development Alternatives

Mr. Anand Kumar firstly thanked Dr. Dhyani to concisely put all the issues and solutions for Bundelkhand upfront.Mr. Anand Kumar, Programme Director, Development Alternatives gave a brief introduction about how the climate change debate has intensified over the years. He added that the rural communities are the ones who are the biggest victims of climate change an in order to help them adapt and cope with climate change variabilities, Development Alternatives chose to work in Bundelkhand an extremely drought prone region in Central India suffering from extreme poverty and poor human development indices. Then he informed everyone about the WACREP (Water and Climate Resilience Programme) initiative which is working towards improving the climate resilience of communities by integrating climate change aspect into the planning processes and developing adaptation strategies to decrease the sensitivities of the communities towards climate change. The programme has following objectives:



Mr. Anand Kumar sharing his views on climate change vulnerabilities in the region

- Develop and integrate 'no regrets' water security and climate resilience investments into their development plans, budgets and programmes,
- Identify solutions addressing critical water security challenges to enhance climate resilience of region and communities,
- Built knowledge and capacity to enhance water security and climate resilience,
- Operationalize network and stakeholders to integrate water security and climate resilience in the development process.

Since many potential activities for adaptation and mitigation are not reflected in the district development planning due weak stakeholder capacity on climate change adaptation. Thus capacity building is a major activity which may help achieve the task of climate adaptive district planning.

Through his presentation, he shared the findings of Vulnerability and Adaptation Assessments conducted by the WACREP initiative to highlights climate change sensitivities of Datia district. Emphasizing on the results of exposure, sensitivity and adaptive capacities of the district he detailed out the vulnerabilities as:

Exposure:

The climate of Datia is characterized by general dryness and hot summers and relatively deficit rainfall (quantity of rainfall received & no. of rainy days). The onset of rainfall is considerably later than in the other district and there is a high incidence of natural calamities (drought, flood, hail). Future projections have predicted and increase in average surface daily maximum temperature by 1.8° to 2.0°C by 2030s and monsoon is expected to shift by one month (from July to August)

Sensitivity:

Ecological: The region has high run off rate mainly due to its semi-arid geography. There is a major declining trend that has been noticed in ground water table i.e. 0.221-0.839 and 0.379-0.959 m/year during pre-monsoon and since the dependency is really high in the area on ground water, it causes a problem. There has also been a decrease in forest cover (with 5.83% being current total forest cover of land area).

Social: There is a decline in soil fertility that has reduced the productivity and is one of the causes of decreased agriculture productivity and increasing use of fertilizers.

Agriculture: A large numbers of small and marginal farmers have small land holdings of average 46 hectares. The area has low irrigational capacity (45% of net sown area is irrigated with poor and erratic supplies) and is highly weather dependent

Institutional: Unavailability of seeds, fertilizers and pesticides on time and lack of skilled man power has increased the sensitivities of ``communities.

Adaptive Capacity:

Financial: There is alack of alternative livelihoods, poor access to credit (crop loans, Kisaan Credit Cards) and no access to crop insurance to the farmers.

Information: The people in the region havelow awareness/ access to schemes, new technologies/ practices, inadequate technical service support (new technologies, agro-meteorological, information centers) and weak market linkages. These factors are primarily due to poor communication and information gaps.

Socio Economic: Low male-female ratio 872 females per thousand males, low literacy rate (59.39%) and low urbanization ratio (20.7%) have led to socio-economic vulnerabilities in the region.

He then gave recommendations regarding the adaptation options that could be adopted in order to minimize these vulnerabilities.

SESSION 2: Integrated Watershed Interventions for Drought Proofing in Bundelkhand Region of Central India, Dr. Ramesh Singh, Sr. Scientist, NRCAF, Jhansi

Dr. Ramesh Singh, Senior Scientist, NRCAF first highlighted the key issues with natural resource management and watershed management in semi-arid region of Bundelkhand. Some of the key points highlighted by him are as follows:

- Low water holding capacity
- Shallow depth of soil
- Scarcity of water for irrigation and drinking
- Degraded land with multi directional slopes prone to severe soil erosion
- Poor productivity of crops and livestock
- Frequent Droughts
- Uncontrolled grazing
- Poor literacy
- Poor socio-economic status

He then shared two successful watershed models demonstrated by NRCAF in Bundelkhand region. The Gharkundar Dabar and Parasar Sindh watershed models have shown good success in soil conservation (preventing soil erosion), water conservation, ground water recharge and have demonstrated increased agriculture productivity and increased income of farming communities.

He also showed how guava based, aonla based and citrus based agroforestry systems have benefitted farmers with increased fruit yields. He also shared homestead agroforestry as a sustainable option for risk partitioning and increasing more than 80% survival. Emphasising on the tangible benefits he elucidated that due to NRCAF's watershed interventions runoff and soil loss reduced by 34-55 and 73% respectively in treated area as compared to untreated area (control). Additionally number of dry wells in 2012 reduced to 15 per cent from 86 per cent in year 2006.

SESSION 3: Drought Mitigation Strategy for Bundelkhand Region of Madhya Pradesh, Dr. Anil Kumar Gupta, NIDM

Dr. Anil Kumar Gupta, NIDM congratulated Development Alternatives to for facilitating the participation of diverse group of scientific stakeholders in a knowledge sharing workshop that is organised in the right time for drought management. He also said that apart from crucial times, such scientific discussions to influence policy are a continuous process and should go on in non-drought years as well. He said that in conditions arising from weak and delayed monsoons as a result of El Nino, there is an immediate need to address issues of differential vulnerability i.e. each farmer/village may get impacted differently with drought and not in a similar manner. Therefore things need to be addressed by considering the variable sensitivities and adaptive capacities of different communities. He also said that the ability of the communities to cope up with disasters or extreme situations is determined with adaptive strength of the particular village or its people, interventions made by communities at village level and institutional mechanisms set up by the government.



Dr. Gupta sharing NIDM's initiatives for drought management

He said that the country needs local political will and social acceptance to replicate good practices and influence policies. Further elaborating on the works of NIDM he said that integration of disaster management and climate change has been done by the institute along with establishing NRM-DRM linkages. He also said that Government of India as per the national disaster management Act needs to have a disaster management plan at the national, state and district levels, which NIDM has already initiated. The plan was made in a participatory manner with all the government stakeholders. One of the chapters in the plan is on mitigation which speaks about how to integrate disaster management into their routine tasks and reduce the vulnerabilities of disaster/drought. Talking specifically about Bundelkhand, he first shared the NIDM's latest publication for drought proofing strategies in Bundelkhand. Focussing on the region, he said that the youth here has immense potential and should tapped for reducing distress and drought risks in the region. They can be used a social change agents who can use new levels of ICT for reducing knowledge gap in Bundelkhand.

SESSION 3: Fodder Development Strategies for Drought Proofing, V.K. Yadav, Scientist, IGFRI, Jhansi

Mr. Yadav, IGFRI shared livestock plays an important role in helping the farmers in cases of delayed monsoons, drought like situations and extreme conditions. In case where agriculture productivity is expected to reduce or face losses, animal husbandry and livestock rearing gives an alternate source of livelihood and income. He shared some valuable insights on drought proofing strategies for efficient feed and fodder management for enhanced livestock productivity.

He also stated the fact that despite extreme importance, fodder production for livestock development is struggling in several parts of the country. About 5 percent of the gross cropped area (10.8 million ha) in the country is allocated to fodder crops; 10 per cent of this is in Punjab which has also not increased in last two decades.Not even 3-4 per cent is produced from good quality fodder seed but from cereals like maize and pearl millet (as per NDDB estimate). In another study, it is reported that only 25% of forage seeds are available in the country, that too of 15-20 years old varieties. As a result the yield is less than 50 per cent of a good fodder crop. He then described some drought management strategies for fodder management and livestock rearing. Some of the options shared by him are as follows:

- High Volume less time crops
- Early maturing low water requiring varieties
- Appropriate alterations in cropping pattern
- Dual purpose crops
- Ensuring survival of livestock in the affected area of Bundelkhand
- Minimal loss of productivity for milk and meat
- Protection of reproductive efficiency

Contingent planning for drought situations

a. Contingent planning for area already sown

- In-situ moisture conservation through proper bunding and trenching of field safeguard the standing crop from moisture stress.
- Conserving the water in ponds and use of life saving irrigation in critical stages of the crop.
- Use of micro irrigation and pipe conveyance for efficient utilization of harvested water.
- Mulching with crop residue or any other suitable material if the water stress continues.
- Avoid applying fertilizer till sufficient soil moisture is available.
- Reduction in plant population by thinning.
- Raising nursery of crops (jowar and bajra) for filling the gaps.
- Dibbling of seeds in case of Arhar, other suitable crops and crops which are already sown, if there are serious gaps in plant population.

b. Contingent planning for area to be sown

- Adopt short duration/early duration rice varieties with old seedling and/or direct seeding(NDR-80, NDR 97, NDR-118, Saket-4, Govind, Ashwani).
- Sowing of Moong, Urd (T-9,Naveen), arhar (Sharad, Pusa-9, Bahar), Sesame, in vacant fields with 20% higher seed rate.
- Cowpea, Cluster bean, Small Millets and Perennial grasses

 Grow bajra, maize (African tall) & sorghum (MP-Chari and Pusa Chari-1) far fodder.

c. Contingent plan for Animal Management

- Cattle camps should be organized in the drought affected zones and fodder supplies should be brought in to supplement the animals. At tehsil level, sites for permanent cattle camp should be identified and developed.
- Baling machines for densification of crop residues like wheat straw, grasses, paddy straw and feed block making machine should be widely promoted in Bundelkhand region
- Inclusion of fodder trees in the cropping system
- Establishment of feed and fodder bank
- Hay, silage, complete feed block can be preserved in fodder bank and could be used when needed.
- Unproductive cattle should be checked through castration and control breeding. There should be access of semen of pedigreed bulls to mate their animals. This will replace the unproductive animals which could provide income, employment and in long run, the overall demand for fodder will reduce and come to a manageable level.

SESSION 4: Discussions& Recommendations

Subsequent to the presentations by honorable speakers, the participants discussed to identify key adaptation strategies for increasing the resilience of communities against drought like situations. Some of the recommendations made by esteemed guests are as follows:

• There is a resistance to change socio culturally in this region and therefore we need to bring about a behavior change among the people

- Unproductive youth are a major problem here that slows down change and prevent development. Youth needs to be engaged through using the power of social media and behavioral change communications
- Scientists and civil societies need to share the working of various watersheds and analyze as to why one worked and the other failed and share the learning's with all the people in this field so that the issues can be addressed in future watershed projects
- Implementation of government plans/schemes is a challenge. Implementation should be more streamlined so that it reaches the ground.
- Moreover knowledge of these schemes is also an issue. Focus should be on ICT based technology and youth should be trained in it as well, e.g: promoting Bundelkhand Knowledge Platform
- We need to question our strengths and opportunities and how to replicate it by building capacities of people who implement work and not have a top down approach
- We need to promote alternate livelihood options for increasing the risk bearing capacities of communities
- Need to do risk bearing and profit sharing
- Value chain assessment needs to be done for profits and replication
- Radio is a powerful tool to communicate and change behaviors and should be promoted
- Need to make financial packages like- agro-forestry, WADI etc and promote them on ground
- NRCAF has devised an exercise on how to calculate the amount of carbon sequestered at a district level and have done it for 10 states. Such initiatives can be tested in regions like Bundelkhand as well
- Need to promote bio fertilizers and other methods of organic farming

WATER & CLIMATE RESILIENCE PROGRAMME (WACREP) SCIENTIFIC EXCHANGE WORKSHOP

On

DROUGHT PROOFING STRATEGY FOR SEMI-ARID REGION OF BUNDELKHAND

Date: 4th July, 2014

VENUE: Committee Hall, NRCAF, Jhansi

	Time	Welcome Address	Speaker
	10:00-10:30 A.M.	Registration & Tea	
1.	10:30-10:40 A.M.	Welcome Address	Dr. S. N. Pandey, Programme Director, DevelopmentAlternatives
2.	10:40-11:00 A.M.	Opening Remarks	Dr.S. K. Dhyani, Director, NRCAF, Jhansi
3.	11:00 A.M. 11:15 A.M.	Climate Change Vulnerability & Adaptation Assessment of Bundelkhand	Mr. Anand Kumar, Development Alternatives
4.	11:15-11:30 A.M.	Integrated Watershed Interventions for Drought Proofing in Bundelkhand Region of Central India	Dr. Ramesh Singh, Sr. Scientist, NRCAF, Jhansi
5.	11:30-11:45 A.M.	Drought Mitigation Strategy for Bundelkhand Region of Madhya Pradesh	Dr. Anil Kumar Gupta, NIDM
6.	11:45-12:00 P.M.	Fodder Development Strategies for Drought Proofing	Director, IGFRI, Jhansi
7.	12:00-12:15 P.M.	Теа Ві	reak
8.	12:15-1:30 P.M.	Discussions on Drought Proofing Strategy for Semi-Arid Region of BundelkhandRegion	Chaired by Dr. S. K. Dhyani, Director, NRCAF, Jhansi
9.	1:30-1:40 P.M.	Way Forward	Dr. R.K. Tiwari, Principal Scientist, NRCAF, jHANSI
10.	1:40-1:50 P.M.	Closing Remarks	Dr.S. K. Dhyani, Director, NRCAF, Jhansi
11.	1:50-2:00 P.M.	Vote of thanks	Mr. Anand Kumar
	·	Lunch	





Date: 4m July, 2014, Venue: NRIAF, Jhansi

WATER & CLIMATE RESILIENCE PROGRAMME (WACREP)

Scientific Exchange Workshop on Drought Proofing Strategy for Semi Arid Bundelkhand Region

S.No.	Name	Organisation/Department	Contact (Mobile No. & Email)	Signature
ł,	Dr. A.k. Chauhan	KVK lalitpur	9452118485 bucklikhure,	lan.
2.	Dr. Mishi Roy	K.V.K. JHANST	9415587899	XII
3.	Dr Sustin Kume	NRCAF, Thensi	9452150106	Bur .
h.	Dr. Suchig- K. Rai	IGFRE, Traver	9415073212	8. Ward
5.	Sr. M. M. Das	(GEFR), Shansi	9451266478	rund
6.	डाठ विसय रुमर् भादव	क्री॰ नी० ची० अन् सर सोही	9412463923	(7321
1.	12 ANIC ICUMAR	NACAF, Jroni	9415945240	her
8.	K. Rajarajan	NRUNF, Marri	8953433176	mjimi
g.	Sr. R.P. Dwivedi	N.R.C.A.F., Thansi	09450069779	Alhint
0	Anil Kumen Tingto	NRCAF, Jhoms	09452741687	STERE
11.	Mayauk Chalurrechi	NRCAF Jhanki	09415950651	Mayerit
3	b. Aotr	NRCAF, Jhow	9415092880	340
13	Dr. Rupali-Tiwari	NR CAF, Thansi	09621895247	Si
14	Pritha	NR (AF, Thansi INP, Dellui	9811606802	Puilha.





WATER & CLIMATE RESILIENCE PROGRAMME (WACREP) Scientific Exchange Workshop on Drought Proofing Strategy for Semi Arid Bundelkhand Region

S.No.	Name	Organisation/Department	Contact (Mobile No. & Email)	Signature
15	Harshita Bight	DA	\$860570717	North
16	ANKUR JHA	(SRF)WR (AF Thanki	9889442991	Rith
17	11SHAL SINGH	(SRF) NRCAF JHANSI	9005877222	Vilg
10	Dr. V. D. Toi pathi	R.A. NRCAF, Thansi	9039704412	Dipale
19	Do. FAMESH SINSH	S. Scientist NRCAG THOM	9453624811	Fisin, 5
20	Rajeev Ranjan	SRE, WOVOD, Jhans.	9795028909	RADIO
21	Abhishek Mausiyg	RA, MRCAF, Jhomsn'	860459117)	quintiny
22	Dr. S.P. Tiwan	Head, CSWCRTJ, RC Dalie	9752272901	stud
23	Dr. Der Nasigen	Principal Scienters	9926257253	Ser
24	Aston Shuke.	CSUTCRTS, R.C. Daton Ralio Bulafad.	845702214P	
25	Kambol fal	fails bundletkind 90.4 F.M	9616688822	formbor .
26	Ds. K. Musari	DA Dama.	0078568538	but
27	Dr. R. K. Tewari	NRC AF, Jhanni	9450078359	Reg !!
28	Dr. ANIL GUPTA	NIDM NEWDER	9868207006	K





WATER & CLIMATE RESILIENCE PROGRAMME (WACREP) Scientific Exchange Workshop on Drought Proofing Strategy for Semi Arid Bundelkhand Region

S.No.	Name	Organisation/Department	Contact (Mobile No. & Email)	Signature
29	Avanindsa Ulumor	Development Alternativo.	9717670994 akuma 400 devat. 029	Are_
30	ColiRita) P R Agand	-de -	9452736612	ł
21	Shaeya Nerna	- 11	9873279039	Shay.
32	Dr. MAHENDRA SINGH	NRCAF, Jhanni	8576804857	CN/2
	Sr. Seienhelt (Agnal : Econom	es)		
33.	Dr. Jitendog Kr.Babele (Asst. Professor)	Rept of Plant Paltology Institute of Agri . Sciences Bur	dekend this That 9450076629	the
34,	(Asst. Professor) Prathat Sm	The time of any	9452157826	Bollis -
35	Manishali	S.R. Navs There's	9455013905	Halver
36.	Chanden Kuner oprime	Development Attemators	7839272474 -	p.
31	TWAND KUMAR	U	9399882390	pr.
32.	Dr'S. N. Pcendey	u	G 4150 55801	F

ANNEX IV: STAKEHOLDER WORKSHOP ON INTEGRATING CLIMATE CHANGE ADAPTATION IN DISTRICT PLANNING

Introduction

Climate change adaptation is now becoming increasingly important for vulnerable communities who are especially dependent on climate sensitive sectors (such as agriculture, livestock rearing) for their livelihoods. Risks posed by climate change are not only affecting livelihood security of local communities but are also a matter of concern for regional economic growth and development. Consequently, climate change and its associated risks have put the decision makers in a dilemma who are struggling to integrate climate change concerns in their planning processes. It is also being increasingly realised that adapting to climate change is most crucial at a localised level. Having serious impacts at local level, climate change adaptation has to be contexualised and planned with a local lens. Therefore, climate adaptive planning at district level is emerging a strong solution for adapting to the impacts of climate change.

Datia, a progressive district in semi-arid Bundelkhand region of Madhya Pradesh state is also facing the brunt of climate change. Last decade in Datia has been one of the worst since it has undergone through a period of relatively deficit rainfall both in terms of quantity of rainfall received as well as number of rainy days. The onset of rainfall in Datia is considerably later than in the other district and almost all the rainfall falls within a short span of time and follows a typical monsoon pattern. The factor that makes rural population in Datia district vulnerable to climate change is that they are highly dependent on climate sensitive sectors such as agriculture and have low adaptive capacities to deal with climate induced risks.

All these factors have necessitated the integration of climate change adaptation in planning processes of the district. Keeping this in mind, Development Alternatives (DA) in association with India Water Partnership has launched the Water and Climate Resilience Programme (WACREP) in Datia. This is an action research initiative for integrating climate adaptive concerns in district's planning processes. It identifies climate change vulnerabilities for the district and aims to develop climate responsive adaptation plans based on it.

About The Workshop

The main focus of Water & Climate Resilience Programme (WACREP) is to integrate climate change concerns in district planning processes of Datia. The initiative has identified climate change vulnerabilities and adaptation solutions for Datia district and aims to develop climate responsive district plans based on it. WACREPhas developed tools and methodologies for mainstreaming climate change adaptation in development planning. These tools will help the government officials to develop climate proof plans and integrate them in district planning processes. State Planning Commission, Government of Madhya Pradesh has agreed to provide support to this initiative. In order to enrich the process of climate adaptive planning in the district and facilitate the uptake of these mainstreaming tools, DA organised a half day consultation workshop "Integrating Climate Change Adaptation in District Planning" on 13th June, 2014. Objective of this workshop was to highlight:

- 1. Key climate change vulnerabilities of Datia district
- 2. Robust adaptation options and strategies for climate resilient development of the district
- 3. Strategies for mainstreaming climate change adaptation in development planning of the district
- 4. Application of Adaptation Guide as a tool for mainstreaming climate change adaptation

Opening Remarks

The workshop initiated with opening address from Dr. Shailendra Nath Pandey, Development Alternatives who welcomed the C.E.O. of Datia district, government officials of District Planning Committee, officials from various line departments and scientists working in the district. Outlining the localised climate change impacts in the district, he highlighted that this is the right time to integrate climate change concerns in development planning. He also introduced the WACREP initiative currently being implemented in the district for designing community based climate adaptive plans. He then invited the Datia district C.E.O. Mr. Bhaskar Lakshakar to present his views on WACREP initiative and climate adaptive planning in Datia.



Dr. S.N. Pandey introducing the WACREP initiative to the participants

District C.E.O.Mr. BhaskarLakshakar first congratulated the organizing team for receiving a good participation of multi department stakeholders from different Government departments of Datia district. He said that this was an interesting platform for knowledge sharing and invited views from decision makers working on different issues of development. He then benchmarked the importance of importance of climate change adaptation in development planning. He highlighted that climate change was a serious threat for his district and was posing a direct threat to its economy. He also elaborated that the biggest challenge in adapting to climate change today is the communication gap. He said that for effective planning of climate change concerns, there is a need for effectively communicating climate change to the grassroots. Pin pointing on the gaps, he also mentioned that today government officials are facing challenges to communicate climate change to the communities in a simple and effective manner. This has not only minimized the impacts of delivery mechanisms and implementation strategies but has also limited the scope of climate change adaptation in the region. He then elucidated that this where non-government organisations such as Development Alternatives step in facilitate an effective two way communication between government officials and communities. NGOs also bring a fresh perspective to the table and push for crucial issues such as climate change adaptation to be integrated in the planning process.



District C.E.O. Mr. BhaskarLakshakar discussing the importance of CSOs in climate change communications & planning

Moving on, he admired Integrated Watershed Management Programme as effective adaptation strategy for the district. Lastly, he appreciated the WACREP initiative for bringing climate change adaptation to the forefront for mainstreaming climate change adaptation. He said that WACREP presented us with a good opportunity to develop climate adaptive plans for Datia and position it as a model district for climate adaptive planning.

Session 1: Climate Adaptive Planning in Datia District: Learning's from WACREP by Mr. Anand Kumar, Development Alternatives

Mr. Anand Kumar, Programme Director, Development Alternatives gave a brief introduction about how the climate change debate has intensified over the years. He added that the rural communities are the ones who are the biggest victims of climate change an in order to help them adapt and cope with climate change variabilities, Development Alternatives chose to work in Bundelkhand – an extremely drought prone region in Central India suffering from extreme poverty and poor human development indices. Then he informed everyone about the WACREP (Water and Climate Resilience Programme) initiative which is working towards improving the climate resilience of communities by integrating climate change aspect into the planning processes and developing adaptation strategies to decrease the sensitivities of the



Mr. Anand Kumar sharing the vulnerability & adaptation assessment for Datia district

communities towards climate change . The programme has following objectives:

- Develop and integrate 'no regrets' water security and climate resilience investments into their development plans, budgets and programmes,
- Identify solutions addressing critical water security challenges to enhance climate resilience of region and communities,
- Built knowledge and capacity to enhance water security and climate resilience,
- Operationalize network and stakeholders to integrate water security and climate resilience in the development process.

Since many potential activities for adaptation and mitigation are not reflected in the district development planning due weak stakeholder capacity on climate change adaptation. Thus capacity building is a major activity which may help achieve the task of climate adaptive district planning.

Through his presentation, he shared the findings of Vulnerability and Adaptation Assessments conducted by the WACREP initiative to highlights climate change sensitivities of Datia district. Emphasizing on the results of exposure, sensitivity and adaptive capacities of the district he detailed out the vulnerabilities as:



Participants listening to the findings of WACREP initiative

Exposure:

The climate of Datia is characterized by general dryness and hot summers and relatively deficit rainfall (quantity of rainfall received & no. of rainy days). The onset of rainfall is considerably later than in the other district and there is a high incidence of natural calamities (drought, flood, hail). Future projections have predicted and increase in average surface daily maximum temperature by 1.8° to 2.0°C by 2030s and monsoon is expected to shift by one month (from July to August)

Sensitivity:

Ecological: The region has high run off rate mainly due to its semi-arid geography. There is a major declining trend that has been noticed in ground water table i.e. 0.221-0.839 and 0.379-0.959 m/year during pre-monsoon and since the dependency is really high in the area on ground water, it causes a problem. There has also been a decrease in forest cover (with 5.83% being current total forest cover of land area).

Social: There is a decline in soil fertility that has reduced the productivity and is one of the causes of decreased agriculture productivity and increasing use of fertilizers.

Agriculture: A Large numbers of small and marginal farmers have small land holdings of average .46 hectares. The area has low irrigational capacity (45% of net sown area is irrigated with poor and erratic supplies) and is highly weather dependent

Institutional: Unavailability of seeds, fertilizers and pesticides on time and lack of skilled man power has increased the sensitivities of ``communities.

Adaptive Capacity:

Financial: There is alack of alternative livelihoods, poor access to credit (crop loans, Kisaan Credit Cards) and no access to crop insurance to the farmers.

Information: The people in the region have low awareness/ access to schemes, new technologies/practices, inadequate technical service support (new technologies, agro-meteorological, information centers) and weak market linkages. These factors are primarily due to poor communication and information gaps.

Socio Economic: Low male-female ratio 872 females per thousand males, low literacy rate (59.39%) and low urbanization ratio (20.7%) have led to socio-economic vulnerabilities in the region.

He then gave recommendations regarding the adaptation options that could be adopted in order to minimize these vulnerabilities.

Session: 2: Mainstreaming Climate Change Adaptation into Development Planning

This was an exclusively designed interactive session to build the capacities of district level stakeholders on climate adaptive planning. Using a participatory approach, the session shared the tools for mainstreaming climate change adaptation with the participants and also engaged them to make mock climate adaptive plans for the district. This exercise helped them to design need based adaptation plans and provide their valuable solutions for enriching the plans being developed under WACREP project.

To guide this session strategically, Mr. Chandan Mishra and Ms. Harshita Bisht from Development Alternatives, defined the guiding principles for this session. They designed session as a breakdown group activity where the participants were divided into four groups. To bring diversity to the groups, participants from different backgrounds and departments were distributed in each group. This added a multi-stakeholder approach to the groups and brought diversity to the mock planning processes.



Ms. Bisht elaborating the guidelines for developing climate adaptive plans in the group exercise

Setting up the tone for group exercise, Ms. Bisht first explained the deeply linked relationship between climate change adaptation and development. She then explained that how planning for climate change in present will be a cost effective solution in future. Form a planning point of view; she then explained the entry points for mainstreaming climate change adaptation i.e. budget, schemes, policies and programmes, contingency plans, line departments etc. Lastly, she then provided a framework to the participants to develop climate adaptive plans for their district.



Formation of trans disciplinary & multistakeholder group for development of mock climate adaptive plans

This framework was a reference for the group exercise to make mock adaptive plans during the exercise. Further more, Mr. Chandan Mishra elaborated the concepts of integrated village development to the participants. He said that for mainstreaming climate change adaptation into village planning, it is important to have an integrated planning approach.

Problems/Vulnerabilities

- Delay in monsoon
- Health issues: Heat waves
- Decrease in groundwater
- ???

Solutions

- Shift in sowing dates
- Afforestation programmes
- Watershed Management
- ???

Means of Implementation Departments/Activities/Schemes

- Agriculture Extension & Awareness
- MNREGS
- IWMP
- ???

These guidelines helped the participants to make adaptive plans for their district. The participants then divided into respective groups and were allotted a time of 45 minutes for their plan development. The exercise was directed through a mentor from Development Alternatives team, who have been delivering capacity building solutions from mainstreaming climate change adaptation.

Development of Mock Climate Adaptive Plans

After the directions for the group exercises, participants scrutinized development issues from a climate change lens. Critical issues of the district such as soil erosion, decreasing groundwater levels, decreasing forest cover, climate sensitivity of agriculture sector, availability of fodder for livestock, increasing health issues due to heat waves etc. were identified as some of the problems by the groups. After the identification of problems, decision makers and scientists identified solutions for mitigating the problems arising due to climate change. Some of these solutions included promotion of integrated watershed management structures, field bunds, afforestation programmes, rain water harvesting, lost cost fodder options and silage for livestock, alternate livelihood options, special healthcare facilities (particularly for women) etc.



Groups identifying thestrategies for climate adaptive planning

After sharing experiences of problems and solutions, the groups also elucidated demonstration and implementation activities which could help them to execute strategies for climate change resilience through policies, programmes, resource envelope and district plans. Subsequent to the discussions on mock development plans, the groups revised the plans based on the feedback received from the participants.



Groups formulating strategies for mock climate adaptive plan development



Participants giving feedback for enriching the strategies of climate adaptive planning



Participants presenting the climate adaptive plans of their group with other participants

Closing Remarks

After the fruitful sessions for development of climate adaptive plans, Mr. Anand Kumar from Development Alternatives delivered the closing remarks for thanking the participants for their fruitful discussions. He said that the brainstorming discussion captured during this workshop would provide a way forward for developing climate



Mr. BhaskarLakshakar (C.E.O of Datia), giving his feedback to mainstream discussions of the workshop in district planning processes.

resilient plans for the district and would enrich the findings of WACREP initiative. He said that the tools shared for mainstreaming climate change adaptation in district planning will be soon be launched by Development Alternatives for the uptake by planning department of Datia district.

INTEGRATING CLIMATE CHANGE ADAPTATION IN DISTRICT PLANNING -VULNERABILITY & ADAPTATION ASSESSMENT FOR DATIA DISTRICT, MADHYA PRADESH

Date: 13th June, 2014

Venue: CSWCRTI, Datia

AGENDA

S. No.	Time	Session	Speaker	
1.	10:00-10:30 A.M.	Tea & Registration		
2.	10:30-10:45 A.M.	Welcome Address	Dr. S.N. Pandey	
3.	10:45-11:00 A.M.	 Opening Remarks Introduction to Water & Climate Resilience Programme (WACREP) 	Collector/CEO IWP & DA	
4.	11:00:12:00 A.M.	 Climate Adaptive Planning in Datia District: Learning's from WACREP Vulnerability & Adaptation Assessments: Key Findings Interactive Discussions in a Participatory Manner 	Mr. Anand Kumar	
6.	12:00-12:15 P.M.	Tea & Snacks		
7.	12:15-12:45 P.M.	 Climate Resilient Development in Datia Building Resilient Villages: HumaraGaon- A Concept Documentary on Integrated Watershed Management Programme in Datia Followed by moderated discussions 	Dr. K. Murari	
8.	12:45-1:15 P.M.	Adaptation Guide: A Tool for Mainstreaming Climate Change Adaptation - Interactive Discussions in a Participatory Manner	Ms. Harshita Bisht & Mr. Chandan Mishra	
9.	1:15-1:45 P.M.	Moderated Discussions: Way Forward	Mr. Anand Kumar & Ms. Harshita Bisht	
10.	1:45-2:00 P.M.	Closing Remarks	Mr. Anand Kumar	
11.	2:00-2:30 P.M.	Launch		



Devolopment Attarnetives 13/06/2014.

S.No.	Name	Organisation/Department	Contact (Mobile No. & Email)	Signature
(1)	M. Anas Asif + Tabish Annuel	Indiawater Partnership	9654150957, anifanave gra	ware Ard - 2 -
(2)	Rojesh Kumar Somi	Team leader Iwm P-3	94253-42205	V ?
3	Neerey Jain	Team riend as Jump-3.	3993914354	(Daving ~
1.	Dr.D.K. Vishumeparnie.	Dy. Dissector Veterinary	9993278998	232
5.	Dr. Lokender singer yeder	· V ctering department. Do	An 9754037394	hung V
6	Atul Chaturvede	Rural Engineering Servic	e 9425116343 (Rolinveli
7	MAMTA chaturnel.	Mahile Bal Vilkas	920721230G	376 14
8	M.L. Gupta	S.D.O. P. W. Boatry	9425780668	Cell
9	DR. S. P. TIWAN	Head of Regional Contro	9752272901	4137614
10	Makhan Vishwakama,	CSWCRTI Date T.L. IWMP-07, Date,	9584228468.	Mar
11	Surkhpert Julor	The IWMP. 06 Recher.	9826852500	- Sou an
12	Jyoh crosumi	JA.P Datia	942510/610	Dolukan
13	Sochin Moneyer	zila purchat Datin	8889464808	Sodio
14.	dobo 3620 ASJ	Formizion ze bi. arganga	9179372189	A
/				M



spart int



Parte	sal Water nership tar mananita	57912	* 11+	Development Atternatives
		& CLIMATE RESILIENCE PROGRAMME (W CLIMATE CHANGE ADAPTATION IN DISTR	ACREP) ICT PLANNING	8/614
S.No.	Name	Organisation/Department	Contact (Mobile No. & Email)	Signature 20
15	St- 8-18 Inth	DDA Datia.	9424313418	A 3
16	to al no itma	3DO Risson w acuto	9406577657	Les .
17	Ata and	AFO fim patin	9993262249	Ques_
18	Mensy Gubra	QP.0,2P	9425762862	de
19	Ved ArakashGr.	APOZP.	9425482479	N
20	Harimohom Sharma	T.LIWMP-22PDatio	9 993275 469	thorney
21	Bulchert Single Juden	Pr JAIMP 2852Pratin	5401212133	Bryl
2	N N	- Deti's	- prime	-
23	Suzen Kymae Anivervor	Screnive (ensus entre	9977571736	Riner
24	Sameth Kumm Fina	ADH Dalig	9329825313	ann
25	Dr. D.K. Gupte	DHO Health Date	9893221401	Dy:
26	A.S. Tropolk	P.H.E Dr. Dolis S.p.o	94251-13190	A
27	Anand Rumar.	DA NDelhi	2654425	the 3 wro
29		J	2 () () AA:	2.60 Mg



S.No.	Name	Organisation/Department	Contact (Mobile No. & Email)	Signature
	C Y	dir ein worst		
1	- वर्गा खिट - वोहान		9893267801	-cilstant b'8
2.	Colog Her ORAIL	कोर ग्रेम पर्छ्य	9893446197	mateling 5
3	Aldas 421124	An ASE ZUMP.08	9806941388	Dr -
4.	राज्यार किल्टे	She alter Jumps-	9584571721	Rey
5	उसी व्याहराहा	-2/1 220 2176	9179746695 -	ant
6	अम्तरनारा सिंह	तारा गाउँ दारेगा साइत्य	9452250765	Amsh
7	KAMLESH KOMAR	DISTR Planing April 12	8085367130	Buy
8.	Neha Sharma	EtH Hacy IWMP-2	968512480	Store 1
9	Saty Pag task	Team manper	9713085802	Souther
10	Standes at	47 3758 451252	97 522 85-404	stim
11	Simma.	env. 24 envice	6755803711	min
12	2 SLIM	Roteilus	97542894	AG
13	Remember	Muselq.	7697308094,	Runs
14.	sightin -	aption	-	St fal-1

Revelopment Atomatives 136114



Go Part	bal Water mership meretenete		*	Development Alternatives	/ gary
		R & CLIMATE RESILIENCE PROGRAMME (CLIMATE CHANGE ADAPTATION IN DIST		8/6111	V
S.No.	Name	Organisation/Department	Contact (Mobile No. & Email)	Signature	
15	Dr. K. Musaci	DA - Paragrem.	8878788538	lest	
16	Hansika Bilit	DA	88605707 14	mj.	
17	Nr. Bhasken Lakoliken	CEO.ZP Data.		p?	
18	Chandon be upolin	Do.		- t	
19	Col (Reld) PRASeny	DA		P	
20	pr. S. W. Parde	A			
21	Anand Kimar	DA	9899882380	he	
22	B.S. Kasana	JMJ K V/ C BRAR	9425160286	TE 14	<i>,</i>
23	Dr. A.K. Shph	SmS KVK Den'a	9425748483	2mm Ju	"My
an	N.K. Shorma	RC Datig	9753763377	mz	V
25	A.K. Sharma	SDO (A94).	9926731348	no-	
21	VKADinh	Acto	9720200214	Im	
27	Sant Ry	Aeto	9612827827	all	
28.	Porth Ame	Aron)	9625791190	15-	
29	Dr. Govind Prosad	ACTO	84 3596 3667	Gm	

Global Water Partnership Seather

Alternatives

S.No.	Name	Organisation/Department	Contact (Mobile No. & Email)	Signature
1.	Neelan Singh	IWMP-07	88278476/4	Alug
2.	Swapra Chahan	ILIMP-08	8989131791	Shil
3	Rain Dishoriya	IWMP-07	9425702388	Len

ABBREVIATIONS

AR5	Fifth Assessment report
MOEF	Ministry of Environment and Forest
GOI	Government of India
CO2	Carbon dioxide
IITM	Indian Institute of Tropical Meteorology
MP	Madhya Pradesh
PRECIS	Providing Regional climate for Impact studies
EPCO	Environment Planning and coordination organization
CSO	Civil Society Organization
IPCC	Intergovernmental Panel for Climate Change
LVI	Livelihood Vulnerability Index
mm	millimeter
sq. km.	Kilometer square
Ha.	Hectare
BPL	Below Poverty Level
Etal	and others



B-32, TARA Crescent, Qutab Institutional Area, New Delhi110016, INDIA Tel.: 91-11-26564444, 26544212, Fax: 91-11-26851158 Email: akumar3@devalt.org, Website: www.devalt.org